



South Tyneside Council

RISK ASSESSMENT

Department: Services for Young People, Children, Adults & Families		Section: Thurston O.E.C.		Assessment No: H5									
Work Activity	Barn												
Method/Task	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">Risk rating, without controls <i>(see Matrix overleaf)</i></td> </tr> <tr> <td style="width: 70%;">High</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> <tr> <td>Medium</td> <td style="text-align: center;"><input checked="" type="checkbox"/></td> </tr> <tr> <td>Low</td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </table>					Risk rating, without controls <i>(see Matrix overleaf)</i>		High	<input type="checkbox"/>	Medium	<input checked="" type="checkbox"/>	Low	<input type="checkbox"/>
Risk rating, without controls <i>(see Matrix overleaf)</i>													
High	<input type="checkbox"/>												
Medium	<input checked="" type="checkbox"/>												
Low	<input type="checkbox"/>												
Hazards	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Slips, trips, bumps & falls Group behaviour Games equipment Fall from height Woodburning stove Low beams</td> <td style="width: 50%; border: none; vertical-align: top;">Injury / illness Fire</td> </tr> </table>					Slips, trips, bumps & falls Group behaviour Games equipment Fall from height Woodburning stove Low beams	Injury / illness Fire						
Slips, trips, bumps & falls Group behaviour Games equipment Fall from height Woodburning stove Low beams	Injury / illness Fire												
Population Exposed	Employees:	<input checked="" type="checkbox"/>	Sub Contractors:	<input checked="" type="checkbox"/>	Public:	<input type="checkbox"/>							
	Young Persons:	<input checked="" type="checkbox"/>	Special Groups:	<input checked="" type="checkbox"/>	Children:	<input checked="" type="checkbox"/>							
Control Measures	<p>Appropriate group briefing Continued monitoring by all responsible persons Suitable footwear worn Appropriate supervision by leaders First aid trained staff and first aid kits available Facilities available for cleaning up spills Signage and suitable barriers in place Only responsible leaders who have been briefed appropriately may use the stove Equipment locked in tuck shop and only issued as appropriate External lighting Carbon monoxide detector and alarm Fire alarm system, Fire Risk Assessment and Fire Policy in place Worn/dangerous games equipment removed from use and replaced</p> <p style="text-align: center;">Continue on separate sheet, if necessary</p>												
Information Instruction Training Required	As above												
Personal Protective Measures (PPE)													

Implementation Plan		By Whom	Target Date
----------------------------	--	----------------	--------------------

Risk Rating with Controls in place	<input type="checkbox"/> HIGH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> LOW
---	--------------------------------------	--	--

Monitoring and Review	Review Date	By Whom	Target Date
	<i>Dec 2020</i>	<i>Staff</i>	<i>Jan 2022</i>

Action Identified From Review		By Whom	Target Date
--------------------------------------	--	----------------	--------------------

Risk Matrix				
Likelihood		Worst Case Outcome		
		<i>Fatality</i>	<i>Major Injury</i>	<i>Minor Injury</i>
	<i>Probable</i>	HIGH	HIGH	MED.
	<i>Possible</i>	HIGH	MED	MED.
	<i>Improbable</i>	MED.	LOW	LOW

Assessment conducted by: _____ **Signed:** _____ **Date:** _____
 Revised: December 2020. AS, RC, JS.