Buckinghamshire Healthcare

Buckinghamshire School Aged Immunisation Team Haleacre Unit Amersham Hospital Whielden Street Amersham HP7 0JD Tel: 01494323000 buc-tr.BucksChildImms@nhs.net www.buckshealthcare.nhs.uk/School-nursing

January 2024

Dear Parent/Carer

Your Child's Secondary School Immunisations are now due

The national childhood immunisations programme has meant that many dangerous diseases such as tetanus, diphtheria and polio (Td/IPV) have practically disappeared in the UK. Unfortunately, this is not the same for all countries and cases of these diseases continue to be seen worldwide, including Europe. Similarly, immunisations for Measles, Mumps and Rubella (MMR) and Meningitis have drastically reduced the number of people contracting these serious infections. Therefore, it is important that we continue to immunise our children and teenagers in order to maintain the high level of protection found in the UK.

We use an online consenting platform which can be accessed via any internet enabled device. Please click on the following link <u>TDIPV MenACWY Vaccination Consent Form (buckschildimmunisations.co.uk)</u> which will direct you to an online consent form for you to complete for your child.

We will be visiting your child's school on **28/02/2024** Please complete the consent form in full using the following school code: EE136846 no later than midday on **27/02/2024 as the link will close on this date** and you will not be able to consent for your child to have the immunisations after this time. However, we will use Gillick Competence for self-consent with those students whose forms are not returned and who wish to have the vaccine.

Diphtheria Tetanus and Polio (Td/IPV)

Young people need a total of five doses of Td/IPV vaccine to build up and keep their immunity. These are usually given as follows:

- The first three doses as a baby
- The fourth dose when they were between three and five years old, before they started school
- The fifth dose is due **now**

Meningococcal ACWY

Due to an increase in the number of cases of Meningitis W in adolescents and university aged students, protection against Men W has been incorporated into the Meningococcal vaccine. The ACWY booster for protection against Meningococcal bacteria is now recommended for teenagers in addition to those doses previously received as a baby. This can be given at the same time as the Td/IPV.



Measles, Mumps and Rubella (MMR)

Cases of measles have been on the increase across the UK and this is a good time to check that your child has had two doses of MMR. If your child is missing any doses of the MMR vaccine these can be administered by the immunisation team.

Below is a link to a leaflet explaining the vaccination programme and any possible side effects that may occur following the vaccination:

Immunisations for young people - your questions answered (publishing.service.go.uk) Protect yourself against meningitis and septicaemia - Have the MenACWY vaccine (publishing service gov.uk) MMR for all: general leaflet - GOV.UK (www.gov.uk)

If you require further information about vaccinations, please go to the immunisation websites below: <u>http://www.buckshealthcare.nhs.uk/School-nursing/immunisations.htm</u> <u>Vaccine Knowledge Project — Oxford Vaccine Group</u> <u>Vaccinations - NHS (www.nhs.uk)</u>

If you require further information regarding the vaccines we offer please go to our Immunisation website which has full details of our service: <u>http://www.buckshealthcare.nhs.uk/School-nursing/immunisations.htm</u>

In the rare event that you do not have access to the internet, please contact the immunisation team who will complete a consent form with you over the phone.

If you have any queries regarding online consenting or if you feel that your child may have missed any previously offered immunisations (including MMR), please contact the Buckinghamshire Immunisation Team on 01494323000 where we will be pleased to assist you.

Yours sincerely

Buckinghamshire Immunisation Team Buckinghamshire Healthcare NHS Trust

AGE	VACCINES GIVEN
8 weeks	DTaP/IPV/Hib dose 1
12 weeks	DTaP/IPV/Hib dose 2
16 weeks	DTaP/IPV/Hib dose 3
1 year	MMR dose 1
3 years 4 months	DTaP/IPV pre-school booster and MMR dose 2
12-13 years	HPV dose
AGE	VACCINES STILL TO BE GIVEN
13-14 years	Td/IPV teenage booster and MenACWY

