

Christ the King Catholic Primary School

Upper Key Stage Two Calculation Policy



## Calculation policy: Year 5 and Year 6

The following pages show the progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum.

The consistent use of the CPA (concrete, pictorial, abstract) approach helps children develop mastery across all the operations in an efficient and reliable way.

This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.

## **KEY STAGE 2**

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.

Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

	Year 5				
	Concrete	Pictorial	Abstract		
Year 5 Addition					
Column addition with whole numbers	Use place value equipment to represent additions. Add a row of counters onto the place value grid to show 15,735 + 4,012.	Represent additions, using place value equipment on a place value grid alongside written methods. $\frac{TTh}{\bigcirc} Th \\ H \\ T \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0$	Use column addition, including exchanges. TTh Th H T O 1 9 1 7 5 + 1 8 4 1 7 3 7 5 9 2 1 1		
Representing additions		Bar models represent addition of two or more numbers in the context of problem solving. $\begin{array}{c c} & & & \\ \hline flq,57q & f28,370 & f16,725 \\ \hline flq,57q & f28,370 & f16,725 \\ \hline \\ \hline flq,57q & f28,370 & f16,725 \\ \hline \\ \hline \\ fe4,050 & & \\ \hline \\ \hline$	Use approximation to check whether answers are reasonable. $\frac{TTh Th H T O}{2 3 4 0 5} + 7 8 9 2 + 7 8 9 2 + 7 8 9 2 - 3 1 2 9 7 + 7 8 9 2 - 3 1 2 9 7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -$		


Adding tenths	Link measure with addition of decimals. Two lengths of fencing are 0.6 m and 0.2 m. How long are they when added together? 0.6 m 0.2 m	Use a bar model with a number line to add tenths. $\begin{array}{cccccccccccccccccccccccccccccccccccc$	Understand the link with adding fractions. $\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$ $6 \text{ tenths} + 2 \text{ tenths} = 8 \text{ tenths}$ $0.6 + 0.2 = 0.8$
		6 tenths + 2 tenths = 8 tenths	
Adding decimals using column addition	Use place value equipment to represent additions. Show 0.23 + 0.45 using place value counters.	Use place value equipment on a place value grid to represent additions. Represent exchange where necessary. $\underbrace{\boxed{0 + \text{Tth}}_{0 + \text{Hth}}}_{0 + \text{Q} + \frac{1}{2} + \frac{1}$	Add using a column method, ensuring that children understand the link with place value. $\frac{O \cdot \text{Tth Hth}}{0 \cdot 2 \cdot 3}$ + $\frac{0 \cdot 4 \cdot 5}{0 \cdot 6 \cdot 8}$ Include exchange where required, alongside an understanding of place value. $\frac{O \cdot \text{Tth Hth}}{0 \cdot 9 \cdot 2}$ + $\frac{0 \cdot 3 \cdot 3}{1 \cdot 2 \cdot 5}$ Include additions where the numbers of decimal places are different. 3.4 + 0.65 = ? $\frac{O \cdot \text{Tth Hth}}{3 \cdot 4 \cdot 0}$ + $\frac{0 \cdot 6 \cdot 5}{.}$

Year 5 Subtraction			
Column subtraction with whole numbers	Use place value equipment to understand where exchanges are required. 2,250 – 1,070	Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required. $15,735 - 2,582 = 13,153$ $\underbrace{\text{TTh}  \text{Th}  \text{H}  \text{T}  \text{O}}_{1  5  7  3  5}_{-2  5  8  2}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-3}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-3}_{-3}_{-3}_{-2  5  8  2}_{-3}_{-3}_{-3}_{-3}_{-3}_{-3}_{-3}_{-3$	Use column subtraction methods with exchange where required. $\frac{\text{TTh Th } \text{H } \text{T } \text{O}}{\frac{5}{8} ^{  }\text{Z} ^{  }\text{O}  \text{q}  7}$ $-\frac{1 \ 8 \ 5 \ 3 \ 4}{4 \ 3 \ 5 \ 6 \ 3}$ $62,097 - 18,534 = 43,563$
Checking strategies and representing subtractions		Bar models represent subtractions in problem contexts, including 'find the difference'. Athletics Stadium 75,450 Hockey Centre $42,300$ Velodrome $15,735$ ?	Children can explain the mistake made when the columns have not been ordered correctly. $ \begin{array}{r} \hline Th Th H T 0 \\ \hline \hline 1 7 8 7 7 \\ + \frac{4}{9} 0 1 2 \\ \hline 5 7 9 9 7 \end{array} $ $ \begin{array}{r} \hline Correct method \\ \hline Th Th H T 0 \\ + \frac{4}{2} 1 8 8 9 \\ \hline \hline 1 8 8 9 \\ \hline \hline \end{array} $ Use approximation to check calculations. <i>I calculated 18,000 + 4,000 mentally to check my subtraction.</i>

Choosing efficient methods			To subtract two large numbers that are close, children find the difference by counting on. 2,002 - 1,995 = ? Use addition to check subtractions. <i>I calculated</i> 7,546 - 2,355 = 5,191. <i>I will check using the inverse.</i>
Subtracting decimals	Explore complements to a whole number by working in the context of length. 0.49  m 1  m - 0  m = 0  m 1 - 0.49 = ?	Use a place value grid to represent the stages of column subtraction, including exchanges where required. $5 \cdot 74 - 2 \cdot 25 = ?$ $\bigcirc & Tth & Hth \\ \hline \bullet & \bullet & \bullet & \bullet & \bullet & \bullet \\ \hline \bullet & \bullet & \bullet & \bullet & \bullet & \bullet & \bullet \\ \hline \bullet & \bullet \\ \hline \bullet & \bullet \\ \hline \bullet & \bullet \\ \hline \bullet & \bullet \\ \hline \bullet & \bullet$	Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places. $3 \cdot 921 - 3 \cdot 75 = ?$ $\frac{0 \cdot \text{Tth } \text{Hth } \text{Thth}}{3 \cdot 9 \cdot 2 \cdot 1}$ $= \frac{3 \cdot 7 \cdot 5 \cdot 0}{\cdot}$

Year 5 Multiplication			
Understanding factors	Use cubes or counters to explore the meaning of 'square numbers'.	Use images to explore examples and non- examples of square numbers.	Understand the pattern of square numbers in the multiplication tables.
	25 is a square number because it is made from 5 rows of 5.		Use a multiplication grid to circle each square number. Can children spot a pattern?
	Use cubes to explore cube numbers.	$8 \times 8 = 64$ $8^2 = 64$	
	8 is a cube number.	12 is not a square number, because you cannot multiply a whole number by itself to make 12.	
Multiplying by 10, 100 and 1,000	Use place value equipment to multiply by 10, 100 and 1,000 by unitising.	Understand the effect of repeated multiplication by 10.	Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.
	$4 \times 10 = 4 \text{ tens} = 40$ $4 \times 100 = 4 \text{ hundreds}$ $= 400$		H     T     O       I     7
			17 × 10 = 170 17 × 100 = 17 × 10 × 10 = 1,700 17 × 1,000 = 17 × 10 × 10 × 10 = 17,000

Multiplying by multiples of 10, 100 and 1,000	Use place value equipment to explore multiplying by unitising.	how to multiply by multiples of 10, 100 and 1,000. 5 x 5 x 5 x 5 x 5 x	se known facts and unitising to multiply. x 4 = 20 x 40 = 200 x 400 = 2,000 x 4,000 - 20,000 $2000 \times 4 = 20,000$
Multiplying up to 4-digit numbers by a single digit	Explore how to use partitioning to multiply efficiently. $8 \times 17 = ?$ $8 \times 10 = 80$ $8 \times 10 = 80$ $8 \times 10 = 136$ So, $8 \times 17 = 136$	equipment and add the 1s, then 10s, then 100s, then 1,000s.       5         H       T       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0         0       0       0	Se an area model and then add the parts. $100  60  3$ $100 \times 5 = 500  60 \times 5 = 300  3 \times 5 = 15$ Se a column multiplication, including any quired exchanges. $1  3  6$ $\frac{6}{8  1  6}{2  3}$



			$1,274 \times 32 = ?$ First multiply 1,274 by 2. $\begin{array}{r} 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline 2 & 5 & 4 & 8 \\ \hline 2 & 5 & 4 & 8 \\ \hline 2 & 5 & 4 & 8 \\ \hline 2 & 5 & 4 & 8 \\ \hline 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline 1 & 2 & 7 & 4 \\ \hline \hline Finally, find the total.$ $\begin{array}{r} 1 & 2 & 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline \hline 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline \hline 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 2 & 5 & 4 & 8 \\ \hline 7 & 4 \\ \times & 3 & 2 \\ \hline \hline 1,274 \times 32 \\ \hline 1,274 \times 32 \\ = 40,768 \end{array}$
Multiplying decimals by 10, 100 and 1,000	Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.	Represent multiplication by 10 as exchange on a place value grid.	Understand how this exchange is represented on a place value chart. $\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Year 5 Division			
Understanding factors and prime numbers	Use equipment to explore the factors of a given number. 24 ÷ 3 = 8 24 ÷ 8 = 3 8 and 3 are factors of 24 because they divide 24 exactly. 24 ÷ 5 = 4 remainder 4. 5 is not a factor of 24 because there is a remainder.	Understand that prime numbers are numbers with exactly two factors. $13 \div 1 = 13$ $13 \div 2 = 6 r 1$ $13 \div 4 = 4 r 1$ 1 and 13 are the only factors of 13. 13 is a prime number.	<ul> <li>Understand how to recognise prime and composite numbers.</li> <li><i>I know that 31 is a prime number because it can be divided by only 1 and itself without leaving a remainder.</i></li> <li><i>I know that 33 is not a prime number as it can be divided by 1, 3, 11 and 33.</i></li> <li><i>I know that 1 is not a prime number, as it has only 1 factor.</i></li> </ul>
Understanding inverse operations and the link with multiplication, grouping and sharing	Use equipment to group and share and to explore the calculations that are present. <i>I have 28 counters.</i> <i>I made 7 groups of 4. There are 28 in total.</i> <i>I have 28 in total. I shared them equally into</i> <i>7 groups. There are 4 in each group.</i> <i>I have 28 in total. I made groups of 4. There</i> <i>are 7 equal groups.</i>	Represent multiplicative relationships and explore the families of division facts. 000000000000000000000000000000000000	Represent the different multiplicative relationships to solve problems requiring inverse operations. $12 \div 3 = \bigcirc$ $12 \div \bigcirc = 3$ $12 \div \odot = 3$ Understand missing number problems for division calculations and know how to solve them using inverse operations. $22 \div ? = 2$ $22 \div ? = 2$ $22 \div ? = 2$ $? \div 22 = 2$

Dividing whole numbers by 10, 100 and	Use place value equipment to support unitising for division.	Use a bar model to support dividing by unitising.	Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000.
1,000	$4,000 \div 1,000$ $4,000 \times 1,000 = 4$	$380 \div 10 = 38$ $380$ $7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 $	Th       H       T       0         3       2       0       0 $3,200 \div 100 = ?$ $3,200 \text{ is } 3 \text{ thousands and } 2 \text{ hundreds.}$ $200 \div 100 = 2$ $3,000 \div 100 = 30$ $3,200 \div 100 = 32$
	30, 4,000 - 1,000 - 4	$38 \times 10 = 380$ $10 \times 38 = 380$ So, $380 \div 10 = 38$	So, the digits will move two places to the right.
Dividing by multiples of 10, 100 and 1,000	Use place value equipment to represent known facts and unitising.	Represent related facts with place value equipment when dividing by unitising.	Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check.
			$3,000 \div 5 = 600$ $3,000 \div 50 = 60$ $3,000 \div 500 = 6$
	15 ones put into groups of 3 ones. There are 5 groups. 15 $\div$ 3 = 5	180 is 18 tens.	$5 \times 600 = 3,000$ $50 \times 60 = 3,000$ $500 \times 6 = 3,000$
	15 tens put into groups of 3 tens. There are 5 groups.	18 tens divided into groups of 3 tens. There are 6 groups. $180 \div 30 = 6$	
	150 ÷ 30 = 5	100 - 00 - 0	

		$\begin{array}{c} 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 \\ 1 & 1 &$	
Dividing up to four digits by a single digit using short division	Explore grouping using place value equipment. 268 ÷ 2 = ? There is 1 group of 2 hundreds. There are 3 groups of 2 tens. There are 4 groups of 2 ones. 264 ÷ 2 = 134	Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting. $4 \boxed{4 \ 8} \qquad \boxed{T \ 0} \\ 4 \boxed{4 \ 8} \qquad \boxed{T \ 0} \\ 4 \boxed{4 \ 8} \qquad \boxed{T \ 0} \\ 4 \boxed{4 \ 8} \qquad \boxed{T \ 0} \\ 4 \boxed{4 \ 8} \qquad \boxed{T \ 0} \\ 6 \boxed{6 \ 6} \\ 6 \boxed{6 \ 6}$	Use short division for up to 4-digit numbers divided by a single digit. 0 5 5 6 $7 3^3 8^3 q^4 2$ $3,892 \div 7 = 556$ Use multiplication to check. $556 \times 7 = ?$ $6 \times 7 = 42$ $50 \times 7 = 350$ $500 \times 7 = 3500$ 3,500 + 350 + 42 = 3,892

		Work with divisions that require exchange.	
		4 9 2 T O First, lay out the problem.	
		4 9 2 4 9 2 5 4 9 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
		2 4 9 9 2 4 9 9 12 5 10 10 10 10 10 10 10 10 10 10 10 10 10	
		2     3     T     O     How many groups of 4 go into 12 ones?       4     9     2     0     0     0       0     0     0     0     0       3     groups of 4 ones.     3     groups of 4 ones.	
Understanding remainders	Understand remainders using concrete versions of a problem.	Use short division and understand remainders as the last remaining 1s.	In problem solving contexts, represent divisions including remainders with a bar model.
	80 cakes divided into trays of 6.	6     8     0       6     8     0	683 I I36 I36 I36 I36 3
	80 cakes in total. They make 13 groups of 6, with 2 remaining.	6 8 20 T O How many groups of 6 go into 8 tens? There is I group of 6 tens. There are 2 tens remaining.	683 = 136 × 5 + 3 683 ÷ 5 = 136 r 3
		6 8 20 T O How many groups of 6 go into 20 ones? There are 3 groups of 6 ones. There are 2 ones remaining.	

Dividing decimals by 10, 100 and	Understand division by 10 using exchange.	Represent division using exchange on a place value grid.	Understand the movement of digits on a place value grid.
1,000	2 ones are 20 tenths. 20 tenths divided by 10 is 2 tenths.	$\circ$ $\circ$ $\bullet$ $\circ$ $\circ$ $\bullet$ $\circ$ $\circ$ $\circ$ $\bullet$ $\circ$ $\circ$ $\circ$ $\bullet$ $\circ$	$0 \cdot 1th Hth Thth 0 \cdot 8 5 0 \cdot 90 85$ $0.85 \div 10 = 0.085$ $0 \cdot 10 = 0.085$ $8.5 \div 100 = 0.085$
Understanding the relationship between fractions and division	Use sharing to explore the link between fractions and division. <i>1 whole shared between 3 people.</i> <i>Each person receives one-third.</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>(</i>	Use a bar model and other fraction representations to show the link between fractions and division. $I \div 3 = \frac{1}{3}$	Use the link between division and fractions to calculate divisions. $5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$

		Year 6	
	Concrete	Pictorial	Abstract
Year 6 Addition			
Comparing and selecting efficient methods	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.	Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations. +3.000 + 500 + 200 +	Use column addition where mental methods are not efficient. Recognise common errors with column addition. $32,145 + 4,302 = ?$ $\frac{\text{TTh Th } \text{H } \text{T } \text{O}}{3 \ 2 \ 1 \ 4 \ 5} + \frac{4 \ 3 \ 0 \ 2}{3 \ 6 \ 4 \ 4 \ 7} + \frac{4 \ 3 \ 0 \ 2}{7 \ 5 \ 1 \ 6 \ 5}$ $Which method has been completedaccurately?$ $What mistake has been made?$ Column methods are also used for decimal additions where mental methods are not efficient. $\frac{\text{H } \text{T } \text{O} \cdot \text{Tth } \text{Hth}}{1 \ 4 \ 0 \ \cdot 0 \ 9} + \frac{4 \ 9 \ 8 \ 9}{1 \ 8 \ 9 \ 9 \ 8}$

Selecting mental methods for larger numbers where appropriate	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods. $\underbrace{\overset{M}{\longrightarrow} \underbrace{\overset{HTh}{\longrightarrow} \underbrace{\overset{TTh}{\longrightarrow} \underbrace{\overset{TTh}{\longrightarrow} \underbrace{\overset{H}{\longrightarrow} \underbrace{\overset{T}{\longrightarrow} \underbrace{}{\longleftarrow} \underbrace{}{\longleftrightarrow} $	Use a bar model to support thinking in addition problems. 257,000 + 99,000 = ? ? $f_{257,000} f_{100,000}$ <i>I added 100 thousands then subtracted</i> <i>1 thousand.</i> 257 thousands + 100 thousands = 357 thousands 257,000 + 100,000 = 357,000 357,000 - 1,000 = 356,000 So, 257,000 + 99,000 = 356,000	Use place value and unitising to support mental calculations with larger numbers. 195,000 + 6,000 = ? 195 + 5 + 1 = 201 195 thousands + 6 thousands = 201 thousands So, 195,000 + 6,000 = 201,000
Understanding order of operations in calculations	Use equipment to model different interpretations of a calculation with more than one operation. Explore different results. $3 \times 5 - 2 = ?$	Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations. $16 \times 4$ cab $444444444444444444444444444444444444$	Understand the correct order of operations in calculations without brackets. Understand how brackets affect the order of operations in a calculation. $4 + 6 \times 16$ 4 + 96 = 100 $(4 + 6) \times 16$ $10 \times 16 = 160$

Year 6 Subtraction			
Comparing and selecting efficient methods	Use counters on a place value grid to represent subtractions of larger numbers.	Compare subtraction methods alongside place value representations. $ \underbrace{\begin{array}{c} \hline + & -30 \\ 2,145 \\ 2,145 \\ 2,149 \\ 2,179 \\ 2,679 \\ \hline \hline \\ \hline $	Compare and select methods. Use column subtraction when mental methods are not efficient. Use two different methods for one calculation as a checking strategy. $\frac{\frac{Th}{1} \frac{H}{8\pi} \frac{T}{4\pi} \frac{O}{12}}{\frac{-1}{3} \frac{5}{3} \frac{6}{4} \frac{-400}{\frac{1}{1552} \frac{-400}{1552} \frac{-400}{\frac{1}{1552} \frac$
Subtracting mentally with larger numbers		Use a bar model to show how unitising can support mental calculations. 950,000 - 150,000 That is 950 thousands - 150 thousands $950 \xrightarrow{950}{800}$ So, the difference is 800 thousands. 950,000 - 150,000 = 800,000	Subtract efficiently from powers of 10. 10,000 – 500 = ?

Year 6 Multiplication			
Multiplying up to a 4-digit number by a single digit number	Use equipment to explore multiplications. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use place value equipment to compare methods.Understand area model and short multiplication.Method I $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $3 \ 2 \ 2 \ 5$ $1 \ 2 \ 9 \ 0 \ 0$ $0 \ 0 \ 0$ Method 2Method 4Method 43 2 2 5× 4 $1 \ 2 \ 0 \ 0$ Method 43 2 2 5× 4 $1 \ 2 \ 0 \ 0$ Method 43 2 2 5× 4 $1 \ 2 \ 0 \ 0$ Method 4 $3 \ 2 \ 2 \ 5$ × 4 $1 \ 2 \ 0 \ 0$ Method 4 $3 \ 2 \ 2 \ 5$ × 4 $1 \ 2 \ 0 \ 0$ Method 4 $3 \ 2 \ 2 \ 0 \ 0$ $1 \$	
Multiplying up to a 4-digit number by a 2-digit number		Use an area model alongside written multiplication.         Method I $1,000$ $200$ $30$ $5$ $20$ $200$ $30$ $5$ $20$ $200$ $30$ $5$ $20$ $200$ $30$ $5$ $1$ $2,000$ $4,000$ $600$ $100$ $1$ $1,000$ $200$ $30$ $5$ $\times$ $2$ $1 \times 5$ $3$ $0$ $\times$ $2$ $1 \times 30$ $2$ $0$ $1 \times 200$ $1$ $0$ $0$ $1 \times 1,000$ $1 \times 0$ $20 \times 20$ $1$ $0$ $0$ $20 \times 200$ $20 \times 200$ $20 \times 200$ $2$ $0$ $0$ $0$ $20 \times 200$ $20 \times 1,000$ $2$ $0$ $0$ $0$ $20 \times 1,000$ $20 \times 1,000$ $2$ $5$ $4$ $5$ $21 \times 1,235$	Use compact column multiplication with understanding of place value at all stages. $ \begin{array}{r} 1 & 2 & 3 & 5 \\ \times & 2 & 1 \\ \hline 1 & 2 & 3 & 5 \\ \hline 2 & 4 & 7 & 0 & 0 \\ \hline 2 & 5 & 9 & 3 & 5 \\ \hline \end{array} $ $ \begin{array}{r} 1 \times 1,235 \\ 2 \times 2 \times 1,235 \\ \hline \end{array} $

Using knowledge of factors and partitions to compare methods for multiplications	Use equipment to understand square numbers and cube numbers. $5 \times 5 = 5^2 = 25$ $5 \times 5 = 5^3 = 25 \times 5 = 125$	Compare methods visually using an area model. Understand that multiple approaches will produce the same answer if completed accurately.	Use a known fact to generate families of related facts. $170 \times 11$ $171 \times 11$ $171 \times 11$ $171 \times 11$ $170 \times 12$ $17 \times 110$ Use factors to calculate efficiently. $15 \times 16$ $= 3 \times 5 \times 2 \times 8$ $= 3 \times 8 \times 2 \times 5$ $= 24 \times 10$ $= 240$
Multiplying by 10, 100 and 1,000	Use place value equipment to explore exchange in decimal multiplication. $ \frac{T \circ \cdot Tth}{Represent 0.3.} \qquad \qquad$	Understand how the exchange affects decimal numbers on a place value grid. $ \begin{array}{c} \hline $	Use knowledge of multiplying by 10, 100 and 1,000 to multiply by multiples of 10, 100 and 1,000. $8 \times 100 = 800$ $8 \times 300 = 800 \times 3$ = 2,400 $2.5 \times 10 = 25$ $2.5 \times 20 = 2.5 \times 10 \times 2$ = 50

	value equipment and in the context of measures. (0) $(0)$ $(0)$ $(0)$ $(0)(0)$ $(0)$ $(0)$ $(0)(0)$ $(0)$ $(0)$ $(0)(0)$ $(0)$ $(0)$ $(0)$ $(0)(0)$ $(0)$ $(0)$ $(0)(0)$ $(0)$ $(0)$ $(0)(0)$ $(0)$ $(0)$ $(0)(0)$ $($	grid. $3 \times 3 = 9$ $3 \times 0.3 = 0.9$ TOOTHING 0000 0000 0000 0000 0000 0000 0000 0000 00000 0000 00000 00000 00000 00000	$4 \times 3 = 4 \times 0.3$ $4 \times 0.0$ $20 \times 5 = 20 \times 0.2$ $20 \times 0.4$ Find far multiplic <i>I know This ca</i> $1.8 \times 4$ $18 \times 0.4$ $180 \times 0.4$ $18 \times 0.4$ Use a p effects	a = 1.2 3 = 0.2 a = 100 5 = 100 5 = 100 05 = 100 milies cation that 100 a = 2 4 = 2 0.4 = 2 0.4 = 2 0.4 = 2 0.4 = 2	12 of fac 8 × 4 o me to 2 2 value	= 72. work o	o <i>ut:</i> o un	nders	
				Н	T	0	•	Tth	Hth
			2 × 3			6	•		
			0·2 × 3			0	•	6	
			0·02 × 3				•		

Year 6 Division			
Understanding factors	Use equipment to explore different factors of a number.	Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.	Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number.
	$24 \div 4 = 6$ $30 \div 4 = 7 \text{ remainder } 2$ 4 is a factor of 24 but is not a factor of 30.	I7÷2=8r1       I7÷3=5r2       I7÷4=4r1       I7÷5=3r2	I       2       3       4       5       6       7       8       9       10         II       12       13       14       15       16       17       18       19       20         21       22       23       24       25       26       27       28       29       30         20       23       24       25       26       27       28       29       30
Dividing by a single digit	Use equipment to make groups from a total. There are 78 in total. There are 6 groups of 13. There are 13 groups of 6.	$H \xrightarrow{T} O$ $H \xrightarrow{T} O$ $groups of 6$ $are in 100?$ $H \xrightarrow{T} O$ $groups of 6$ $are in 13 tens?$ $H \xrightarrow{T} O$ $H \xrightarrow{T} O$ $G \xrightarrow{I} 2$	Use short division to divide by a single digit. $ \begin{array}{c} 0\\ 6\\ 1\\ 3\\ 2\\ 6\\ 1\\ 3\\ 2\\ 6\\ 1\\ 3\\ 2\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\ 3\\$

Dividing by a 2-digit number using factors	Understand that division by factors can be used when dividing by a number that is not prime.	Use factors and repeated division. $1,260 \div 14 = ?$ $1,260 \div 2 = 630$ $630 \div 7 = 90$ $1,260 \div 14 = 90$	Use factors and repeated division where appropriate. 2,100 $\div$ 12 = ? $2,100 \rightarrow \stackrel{+2}{\rightarrow} \rightarrow \stackrel{+6}{\rightarrow} \rightarrow$ $2,100 \rightarrow \stackrel{+2}{\rightarrow} \rightarrow \stackrel{+6}{\rightarrow} \rightarrow$ $2,100 \rightarrow \stackrel{+6}{\rightarrow} \rightarrow \stackrel{+2}{\rightarrow} \rightarrow$ $2,100 \rightarrow \stackrel{+3}{\rightarrow} \rightarrow \stackrel{+4}{\rightarrow} \rightarrow$ $2,100 \rightarrow \stackrel{+4}{\rightarrow} \rightarrow \stackrel{+3}{\rightarrow} \rightarrow$ $2,100 \rightarrow \stackrel{+3}{\rightarrow} \rightarrow \stackrel{+2}{\rightarrow} \rightarrow \rightarrow$
Dividing by a 2-digit number using long division	Use equipment to build numbers from groups.	Use an area model alongside written division to model the process. $377 \div 13 = ?$	Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process. $377 \div 13 = ?$ 1 + + + + + + + + + + + + + + + + + + +

			A slightly different layout may be used, with the division completed above rather than at the side. $2I \overline{7 \ 9 \ 8} - \frac{6 \ 3 \ 0}{1 \ 6 \ 8}$ $\frac{3 \ 8}{2I \overline{7 \ 9 \ 8}} - \frac{6 \ 3 \ 0}{1 \ 6 \ 8} - \frac{6 \ 3 \ 0}{1 \ 6 \ 8}$ Divisions with a remainder explored in problem-solving contexts.
Dividing by 10, 100 and 1,000	Use place value equipment to explore division as exchange. $ \begin{array}{c cccc} \hline & & & & & & & & & & & & & & & & & & &$	Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid. $I_{\frac{12}{1\cdot2}}$	Use knowledge of factors to divide by multiples of 10, 100 and 1,000. $40 \div 50 = 10$ $40 \rightarrow \div 10 \rightarrow \div 5 \rightarrow ?$ $40 \rightarrow \div 5 \rightarrow \div 10 \rightarrow ?$ $40 \div 5 = 8$ $8 \div 10 = 0.8$ So, $40 \div 50 = 0.8$

Dividing decimals	Use place value equipment to explore division of decimals.	Use a bar model to represent divisions.	Use short division to divide decimals with up to 2 decimal places.
	8 tenths divided into 4 groups. 2 tenths in each group.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$8 \overline{4 \cdot 2 \cdot 4}$ $0 \cdot $ $8 \overline{4 \cdot 42 \cdot 4}$ $0 \cdot 5$ $8 \overline{4 \cdot 42 \cdot 24}$ $0 \cdot 5$ $8 \overline{4 \cdot 42 \cdot 24}$ $0 \cdot 5 \cdot 3$ $8 \overline{4 \cdot 42 \cdot 24}$