

SALT AND NEARs Locality

Progression in Calculations Policy

January 2017

Before children move to written methods, they need:

- To understand the number system
- Know some number facts
- Have good mental strategies / mental agility!
- Be confident use concrete apparatus and pictorial representations to solve problems and explain their reasoning.

When children move to written methods they need to think...

- What will the answer be roughly?
- Can I work it out in my head?
- What can I use to help me? Do I need a written method?
- Does that answer my question?
- Does it make sense? Can I check?

Purpose of the Policy:




- To make teachers and parents aware of the strategies that pupils are formally taught within each year group that will support them to perform mental and written calculations. Pupils should not move on through the methods until they have secured and understood how to use the methods, including the concrete and pictorial representations.
- The policy supports teachers in identifying appropriate concrete apparatus and pictorial representations to help develop and secure understanding.

Aims of the policy:

- To ensure consistency and progression in our approach to calculation.
- To ensure that children develop an efficient, reliable, formal written method of calculation for all operations.
- To ensure that children can use these methods accurately with confidence and understanding.

How to use this policy:

- Use the policy as the basis of your planning but ensure you use previous or following years' guidance to allow for personalised learning.
- Always use Assessment for Learning to identify suitable next steps in calculation for groups of children.
- If, at any time, children are making significant errors, return to the previous stage in calculation.
- Always introduce a new concept/calculation using use suitable resources, models and images to support children's understanding of the calculation and place value, as appropriate.
- Encourage children to make sensible choices about the methods they use when solving problems.


Add Plus Total + Addition + More Sum Altogether			
Year 3 Method to be used by core of class	Year 4 Method to be used by core of class	Year 5 Method to be used by core of class	Year 6 Method to be used by core of class
As year 2 plus: Understand place value – can partition numbers & recombine numbers to support column addition.  24 + 15 = Add together the ones first then add the tens. Use the Base 10 blocks first before moving onto place value counters. Expanded addition, TU then TU crossing tens barriers, then HTU (three digits) 34 + 62 = $\begin{array}{r} 30 + 4 \\ 60 + 2 \\ \hline 90 + 6 = 96 \end{array}$  146 + 527 494 + 368 = $\begin{array}{r} 400 + 90 + 4 \\ 300 + 60 + 8 \\ \hline 700 + 150 + 12 = 862 \end{array}$ then Compact addition $\begin{array}{r} 494 \\ + 368 \\ \hline 862 \\ 11 \end{array}$ See addition appendix 5 column method- no regrouping and appendix 6 column method – regrouping (bridging ten)	As year 3 plus: Add ones, tens and hundreds to a three-digit number Children can draw a pictorial representation of the columns and place value counters to further support their learning and understanding.  Compact addition (integers only) with numbers up to four digits e.g. $\begin{array}{r} 7648 \\ + 1486 \\ \hline 9134 \\ 111 \end{array}$ Expanded addition may be used for decimals in real contexts e.g. money and length. £11.35+ £12.43= £10 + £1 + 30p + 5p + £10 + £2 + 40p + 3p £20 + £3 + 70p + 8p = £23.78 See addition appendix 5 column method- no regrouping and appendix 6 column method – regrouping (bridging ten)	As year 4 plus: Compact addition with numbers larger than four digits. Compact addition with decimals to two places. e.g. $\begin{array}{r} 32.75 \\ + 48.64 \\ \hline 81.39 \\ 11 \end{array}$ $\begin{array}{r} 23.361 \\ 9.080 \\ 59.770 \\ + 1.300 \\ \hline 93.511 \\ 212 \end{array}$ See addition appendix 5 column method- no regrouping and appendix 6 column method – regrouping (bridging ten)	As year 5 plus: Compact addition involving large numbers. Compact addition with decimals to three places. e.g. $\begin{array}{r} 32.756 \\ + 48.646 \\ \hline 81.402 \\ 1111 \end{array}$ 24.5+ 36.238 $\begin{array}{r} 24.500 \\ + 36.238 \\ \hline 60.738 \\ 1 \end{array}$ See addition appendix 5 column method- no regrouping and appendix 6 column method – regrouping (bridging ten)

Subtract take away less than - **Subtraction** - minus difference between

Year R

Method to be used by core of class

Use physical objects, counters, cubes etc to show how objects can be taken away.



$$6 - 2 = 4$$



Imagine one less spot




Use counters and bead strings, move them away from the group as you take them away counting backwards as you go.

See subtraction appendix 1 taking away ones and appendix 2 counting back.

Year 1

Method to be used by core of class


As year R plus:





$$15 - 3 = \boxed{12}$$

Understand that


subtraction can be seen as taking away and finding the difference. Use the part-whole model to take away.



The difference between 11 and 14 is 3.



First with concrete apparatus, then number | mentally. Count back on a number line or number track when secure with concrete apparatus.



See subtraction appendix 1 taking away ones, appendix 2 counting back, appendix 3 finding the difference and appendix 4 part-whole model.


Year 2

Method to be used by core of class

As year 1 plus:

Subtract using concrete objects such as Numicon, make the whole and take away the correct amount. Then progress to pictorial representations and mental methods.


Start at the bigger number and count back the smaller number showing the jumps



This can progress all the way to counting back using two 2 digit numbers.



No. bonds to 100 (at least with multiples of 10). Understand the number line as a continuum. Understand that subtraction is the inverse of addition (Numicon is a particularly useful image) and bar model.

10
6 4



Comparison Bar Models

Lisa is 13 years old. Her sister is 22 years old. Find the difference in age between them.




See subtraction appendix 2 counting back, appendix 3 finding the difference and appendix 4 part-whole model and appendix 5 make 10.

Subtract take away less than - **Subtraction** - minus difference between

Year 3

Method to be used by core of class


As year 2 plus:




Start at 13. Take away 3 to reach 10. Then take away the remaining 4 so you have taken away 7 altogether. You have reached your answer.

Number line method (2 and 3 digit numbers)

$$351 - 165 = 186$$



Begin expanded subtraction using concrete objects and pictorial representations.



See subtraction appendix 5 make 10. Appendix 6 column method without regrouping.


Year 4

Method to be used by core of class

As year 3 plus:



Number line method (2, 3, 4 digit numbers, extending to decimals in a real context)

e.g.




Expanded subtraction

e.g. $354 - 165$



Use base 10 or place value counters alongside the written calculation to help to show working.

Compact subtraction




See subtraction appendix 5 make 10. Appendix 6 column method without regrouping.

Year 5


Method to be used by core of class

As year 4 plus:

Compact subtraction, involving numbers larger than 4 digits and with decimals to 2 places.



Draw the counters onto a place value grid and show what



you have taken away by crossing the counters out as well as clearly showing the exchanges you make. When confident children can find their own way to record the exchange/regrouping.

See subtraction appendix 5 make 10. Appendix 6 column method without regrouping.


Year 6

Method to be used by core of class






As year 5 plus:

Compact subtraction involving large numbers.

Compact subtraction with decimals up



See subtraction appendix 5 make 10. Appendix 6 column method without regrouping.

Multiply times	lots of x Multiplication x groups of	multiple of product
Year R Method to be used by core of class	Year 1 Method to be used by core of class	Year 2 Method to be used by core of class
Introduce language and concept of making equal groups. Begin to double numbers to 5. Use concrete apparatus to show how to double a number. Double 4 is 8  See multiplication appendix 1 doubling.	As year R plus: Recall doubles to 10. Use this knowledge to support halving and doubling larger numbers.  half of 8 is 4 $8 \div 2 = 4$ double 4 is 8 $4 \times 2 = 8$  16 10 6 x2 x2 20 12 Understand multiplication as repeated addition.  5 + 5 + 5 + 5 + 5 + 5 = 30 $5 \times 6 = 30$ 5 multiplied by 6 6 groups of 5 6 hops of 5  2 + 2 + 2 + 2 + 2 = 10  10p 10p 10p 10p 10p  Group sets of objects reliably in 2s, 5s and 10s. Recognise number sequences e.g. 2s, 5s and 10s. Use of arrays  $4 \times 2 = 8$ $2 \times 4 = 8$ See multiplication appendix 1 doubling. Appendix 2 counting in multiples. Appendix 3 repeated addition. Appendix 4 arrays- showing commutative multiplication.	As Year 1 plus: By the end of the year pupils should recall all multiplication facts for the 2, 5 and 10 times tables. Understand multiplication as scaling.  The giant is twice as big as a boy. Understand that multiplication is commutative (arrays eg. Numicon and Cuisenaire particularly useful).  $4 \times 2 = 8$ $2 \times 4 = 8$ Understand that multiplication and division are the inverse of each other. $4 \times 10 = 40$ $10 \times 4 = 40$ $40 \div 4 = 10$ $40 \div 10 = 4$ See multiplication appendix 2 counting in multiples. Appendix 3 repeated addition. Appendix 4 arrays- showing commutative multiplication.

Multiply times lots of **x Multiplication x** groups of multiple of product

Year 3

Method to be used by core of class

As year 2 plus:

Focus on understanding, representing and remembering times tables facts for 2,5,10,3,4 and 8 times tables, including division facts

e.g.



$$4 \times 8 = 32, 8 \times 4 = 32, 32 \div 4 = 8, 32 \div 8 = 4$$

Note - before moving to any TU x U, the children will need be able to multiply a multiple of 10 by a single digit (T0xU)

Numicon or Cuisenaire in the grid

e.g. 20x4, 40x5

See multiplication appendix 4 arrays- showing commutative multiplication. Appendix 5 grid method.

Year 4

Method to be used by core of class

As year 3 plus:

ALL times tables facts to 12 x 12 should be known by end of year 4 including multiplying by 0 and 1. Children should learn to multiply three numbers together.

$$4 \times 6 \times 3 =$$

$$4 \times 6 = 24, 24 \times 3 = 72$$

Grid method TU x U or HTU x U

Show the link with arrays to first introduce the grid method.

e.g. 4 x 13

x	10	3
4		

e.g. 7

x 39

x	30	9	Total
7	210	63	273

(but know when to calculate mentally e.g. x2, x10, x5)

e.g. 245 x 6

x	200	40	5	Total
6	1200	240	30	1470

See multiplication appendix 4 arrays- showing commutative multiplication. Appendix 5 grid method.

Year 5

Method to be used by core of class

As year 4 plus:



Multiply with numbers up to 4 digits.

Grid Method for TU x TU, HTU x TU, THTU x TU or U.

e.g. 35 x 46

x	30	5	Total
40	1200	200	1400
6	180	30	210
To tal			1610

Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written method.



Long

Multiplication (expanded)

x	30	5	Total
40	1200	200	1400
6	180	30	210
To tal			1610

See multiplication appendix 4 arrays- showing commutative multiplication. Appendix 5 grid method. Appendix 6 column multiplication.


Year 6

Method to be used by core of class

As year 5 plus:

Long Multiplication

Up to 4 digit x 2 digit



Moving to... Decimal numbers to 2 places multiplied by whole numbers

Note -some children may continue to use the grid method

If it helps, children can write out what they are solving next to their answer.

$$\begin{array}{r} 32 \\ \times 24 \\ \hline 128 \\ 640 \\ \hline 768 \end{array}$$

(4 x 2)
(4 x 30)
(20 x 2)
(20 x 30)

See multiplication appendix 4 arrays- showing commutative multiplication. Appendix 5 grid method. Appendix 6 column multiplication.

Share equally group equally divide ÷ **Division** ÷ remainder factor quotient

Year R

Method to be used by core of class

Introduce language and concept of sharing fairly and making equal groups.

Year 1

Method to be used by core of class

Understand division as sharing equally into groups. Share into groups using concrete apparatus then move to pictorial representations.



* * *


* * *

* * *

* * *



shared between 5



Know multiplication facts (including the related 'fact family' e.g $3 \times 5 = 15$, $5 \times 3 = 15$, $15 \div 3 = 5$, $15 \div 5 = 3$)



$$3 \times 5 = 15 \quad 15 \div 5 = 3$$

$$5 \times 3 = 15 \quad 15 \div 3 = 5$$

Finding half and quarter using the same methods.


See division appendix 1 sharing objects into groups. Appendix 2 division as grouping. Appendix 3 division within arrays.

Year 2

Method to be used by core of class


As Year 1 plus:

By the end of the year pupils should recall all division facts for the 2, 5 and 10 times tables.



5 hops in 15. How big is each hop?


$$15 \div 5 = 3$$



Link division to multiplication by creating an array and thinking about the number sentences that can be created.








$$\begin{array}{ll} \text{Eg } 15 \div 3 = 5 & 5 \times 3 = 15 \\ 15 \div 5 = 3 & 3 \times 5 = 15 \end{array}$$

Finding remainders: Divide objects between groups and see how much is left over $14 \div 3 =$



See division appendix 1 sharing objects into groups. Appendix 2 division as grouping. Appendix 3 division within arrays. Appendix 4 division with a remainder.





Share equally group equally divide ÷ **Division** ÷ remainder factor quotient






Year 3	Year 4	Year 5	Year 6
Agreed method to be used by core of class	Agreed method to be used by core of class	Agreed method to be used by core of class	Agreed method to be used by core of class
As year 2 plus: Focus on understanding, representing and remembering times tables facts for 2,5,10,3,4 and 8 times tables, including division facts. e.g.  4x8=32. 8x4=32, 32÷4=8, 32÷8=4 See division appendix 3 division within arrays. Appendix 4 division with a remainder.	As year 3 plus: Focus on understanding, representing and remembering times tables facts for ALL times tables up to 12 x12 including division facts. It is especially important that children understand that division can be grouping or sharing. e.g. 12÷3=4 12 sweets between 3 people gives 4 sweets each.  (3 groups of 4) 'How many 3s in 12?' gives 4 groups of 3 See division appendix 3 division within arrays. Appendix 4 division with a remainder.	As year 4 plus: Short division, up to 4 digit numbers divided by 1 digit numbers e.g 4251÷3  Including dealing with remainders in context.  Or...Chunking on a number line  Multiply and divide whole numbers and those involving decimals by 10, 100 and 1000. See division appendix 3 division within arrays. Appendix 4 division with a remainder. Appendix 5 short division.	As year 5 plus: Short division, up to 4 digit numbers divided by 1 or 2 digit numbers e.g. 423 ÷ 18  or Long division  Or Chunking on a number line  See division appendix 3 division within arrays. Appendix 4 division with a remainder. Appendix 5 short division.

Appendix

Progression in calculations linked to concrete apparatus, pictorial representations and abstract methods. When introducing a new method of calculation the concrete apparatus should be used first. Once this is secure pupils can then be moved onto pictorial representations and then abstract methods.


Addition:

Objective and Strategies	Concrete	Pictorial	Abstract
Appendix 1- Combining two parts to make a whole: part- whole model	 Use cubes to add two numbers together as a group or in a bar.	 Use pictures to add two numbers together as a group or in a bar.	$4 + 3 = 7$ $10 = 6 + 4$  Use the part-part whole diagram as shown above to move into the abstract.
Appendix 2- Starting at the bigger number and counting on	 Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.	$12 + 5 = 17$  Start at the larger number on the number line and count on in ones or in one jump to find the answer.	$5 + 12 = 17$ Place the larger number in your head and count on the smaller number to find your answer.
Appendix 3- Regrouping to make 10.	 $6 + 5 = 11$	Use pictures or a number line. Regroup or partition the smaller number to make 10.	$7 + 4 = 11$ If I am at seven, how many more do I need to make 10. How many more do I add on now?


	 Start with the bigger number and use the smaller number to make 10.		
Appendix 4- Adding three single digits	$4 + 7 + 6 = 17$ Put 4 and 6 together to make 10. Add on 7.  Following on from making 10, make 10 with 2 of the digits (if possible) then add on the third digit.	 Add together three groups of objects. Draw a picture to recombine the groups to make 10.	$\begin{array}{r} 4 + 7 + 6 = 10 + 7 \\ 10 \\ = 17 \end{array}$ Combine the two numbers that make 10 and then add on the remainder.
Appendix 5- Column method- no regrouping	$24 + 15 =$ Add together the ones first then add the tens. Use the Base 10 blocks first before moving onto place value counters. 	After [] children can draw the counters to help them to solve additions. 	<u>Calculations</u> $\begin{array}{r} 21 \\ + 42 \\ \hline \end{array}$

Appendix 6-
Column method- regrouping
(bridging 10)

Make both numbers on a place value grid.



Add up the units and exchange 10 ones for one 10.




Add up the rest of the columns, exchanging the 10 counters from one column for the next place value column until every column has been added.

This can also be done with Base 10 to help children clearly see that 10 ones equal 1 ten and 10 tens equal 100.

As children move on to decimals, money and decimal place value counters can be used to support learning.

Children can draw a pictorial representation of the columns and place value counters to further support their learning and understanding.



Start by partitioning the numbers before moving on to clearly show the exchange below the addition.

$$\begin{array}{r} 20 + 5 \\ 40 + 8 \\ 60 + 13 = 73 \end{array}$$

$$\begin{array}{r} 536 \\ + 85 \\ \hline 621 \\ 11 \end{array}$$




As the children move on, introduce decimals with the same number of decimal places and different. Money can be used here.









$$\begin{array}{r} 72.8 \\ + 54.6 \\ \hline 127.4 \\ 11 \end{array}$$

£	2	3	.	5	9
+	£	7	.	5	5
£	3	1	.	1	4
	1	1		1	

$$\begin{array}{r} 23.361 \\ 9.080 \\ 59.770 \\ + 1.300 \\ \hline 93.511 \\ 212 \end{array}$$


Subtraction:

Objective and Strategies	Concrete	Pictorial	Abstract
Appendix 1- Taking away ones	Use physical objects, counters, cubes etc to show how objects can be taken away.  The concrete stage shows two groups of objects. On the left, there are 5 yellow circles arranged in two rows (3 on top, 2 on bottom). To their right is the equation $5 - 2 = 3$. On the right, there are 4 red cupcake-shaped counters arranged in two rows of two. Two of these counters have a diagonal line drawn through them, indicating they have been taken away. This visualizes the subtraction $4 - 2 = 2$.	Cross out drawn objects to show what has been taken away.  The pictorial stage shows two groups of triangles. The left group has 15 triangles arranged in three rows of five. Below them is the equation $15 - 3 = 12$, with the number 12 inside a box. The right group has 8 triangles arranged in two columns of four. Three triangles in the right column have a diagonal line drawn through them, indicating they have been taken away. This visualizes the subtraction $8 - 3 = 5$.	$18 - 3 = 15$ $8 - 2 = 6$
Appendix 2- Counting back	Make the larger number in your subtraction. Move the beads along your bead string as you count backwards in ones.  The concrete stage shows a bead string with 13 red beads and 4 white beads. To the left of the bead string is the equation $13 - 4$. Below the bead string, there is text: "Use counters and move them away from the group as you take them away counting backwards as you go." Below this text is an image of 10 pink circular counters.	Count back on a number line or number track  The pictorial stage shows a number line from 9 to 15. Four curved arrows point backwards from 15 to 14, 14 to 13, 13 to 12, and 12 to 11. Below the number line is the text: "Start at the bigger number and count back the smaller number showing the jumps on the number line." Below this text is another number line with points at 34, 35, 36, 37, 47, and 57. Three small curved arrows point backwards from 37 to 36, 36 to 35, and 35 to 34, each labeled "-1". Two large curved arrows point backwards from 57 to 47 and from 47 to 37, each labeled "-10".	Put 13 in your head, count back 4. What number are you at? Use your fingers to help.



Appendix 3- Find the difference	Compare amounts and objects to find the difference.  Use cubes to build towers or make bars to find the difference Use basic bar models with items to find the difference 	 Count on to find the difference. Comparison Bar Models <i>Lisa is 13 years old. Her sister is 22 years old. Find the difference in age between them.</i>  Draw bars to find the difference between 2 numbers.	Hannah has 23 sandwiches, Helen has 15 sandwiches. Find the difference between the number of sandwiches.
Appendix 4 Part- Whole Model	Link to addition- use the part whole model to help explain the inverse between addition and subtraction.  If 10 is the whole and 6 is one of the parts. What is the other part? $10 - 6 =$	Use a pictorial representation of objects to show the part part whole model. 	 Move to using numbers within the part whole model.
Appendix 5- Make 10	$14 - 9 =$  Make 14 on the ten frame. Take away the four first to make 10 and then takeaway one more so you have taken away 5. You are left with the answer of 9.	 $13 - 7 = 6$ Start at 13. Take away 3 to reach 10. Then take away the remaining 4 so you have taken away 7 altogether. You have reached your answer.	$16 - 8 =$ How many do we take off to reach the next 10? How many do we have left to take off?

Appendix 6- Column method without regrouping

Use Base 10 to make the bigger number then take the smaller number away.



Show how you partition numbers to subtract. Again make the larger number first.



Draw the Base 10 or place value counters alongside the written calculation to help to show working.

$$\begin{array}{r} 47 - 24 = 23 \\ \underline{40 + 7} \\ 20 + 3 \end{array}$$


This will lead to a clear written column subtraction.

$$\begin{array}{r} 32 \\ - 12 \\ \hline 20 \end{array}$$


Appendix 7- Column method with regrouping

Use Base 10 to start with before moving on to place value counters. Start with one exchange before moving onto subtractions with 2 exchanges.

Make the larger number with the place value counters




Start with the ones, can I take away 8 from 4 easily? I need to exchange one of my tens for ten ones.




Now I can subtract my ones.

Now look at the tens, can I take away 8 tens easily? I need to exchange one hundred for ten tens.




Draw the counters onto a place value grid and show what you have taken away by crossing the counters out as well as clearly showing the exchanges you make.


When confident, children can find their own way to record the exchange/regrouping.



Just writing the numbers as shown here shows that the child understands the method and knows when to exchange/regroup.




Children can start their formal written method by partitioning the number into clear place value columns.



Movin

g forward the children use a more compact method.

This will lead to an understanding of subtracting any number including decimals.



Calculations


$$\begin{array}{r} 234 \\ - 88 \\ \hline \end{array}$$



Calculations

$$\begin{array}{r} 234 \\ - 88 \\ \hline \end{array}$$

Now I can take away eight tens and complete my subtraction








Calculations

$$\begin{array}{r} 234 \\ - 88 \\ \hline 146 \end{array}$$


Show children how the concrete method links to the written method alongside your working. Cross out the numbers when exchanging and show where we write our new amount.

$$\begin{array}{r} 5121 \\ 2\cancel{6}\cancel{3}.\textcolor{red}{0} \\ - 26.5 \\ \hline 236.5 \end{array}$$

Multiplication

Objective and Strategies	Concrete	Pictorial	Abstract
Appendix 1- Doubling	Use practical activities to show how to double a number.  double 4 is 8 $4 \times 2 = 8$	Draw pictures to show how to double a number. Double 4 is 8 	 Partition a number and then double each part before recombining it back together.
Appendix 2- Counting in multiples	 Count in multiples supported by concrete objects in equal groups.	 Use a number line or pictures to continue support in counting in multiples.	Count in multiples of a number aloud. Write sequences with multiples of numbers. 2, 4, 6, 8, 10 5, 10, 15, 20, 25 , 30

Appendix 3-
Repeated addition




Use different
objects to add
equal groups.

There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there?



2 add 2 add 2 equals 6



$$5 + 5 + 5 = 15$$


Write addition sentences to describe
objects and pictures.



$$2 + 2 + 2 + 2 + 2 = 10$$

Appendix 4-
Arrays- showing
commutative multiplication

Create arrays using counters/ cubes to show
multiplication sentences.



Draw arrays in different rotations to find
commutative multiplication sentences.




$$4 \times 2 = 8$$

$$2 \times 4 = 8$$



$$2 \times 4 = 8$$

$$4 \times 2 = 8$$



Link arrays
to area of
rectangles.

Use an array to write multiplication
sentences and reinforce repeated
addition.



$$5 + 5 + 5 = 15$$


$$3 + 3 + 3 + 3 + 3 = 15$$

$$5 \times 3 = 15$$


$$3 \times 5 = 15$$

Appendix 5-
Grid Method

Show the link with arrays to first introduce the grid method.




Move on to using Base 10 to move towards a more compact method.




Move on to place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows.



Fill each row with 126.




Add up each column, starting with the ones making any exchanges needed.



Then you have your answer.

Children can represent the work they have done with place value counters in a way that they understand.

They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking as shown below.



Start with multiplying by one digit numbers and showing the clear addition alongside the grid.

x	30	5
7	210	35

$210 + 35 = 245$


Moving forward, multiply by a 2 digit number showing the different rows within the grid method.

	10	8
10	100	80
3	30	24

X	1000	300	40	2
10	10000	3000	400	20
8	8000	2400	320	16



Appendix 6-
Column multiplication

Children can continue to be supported by place value counters at the stage of multiplication.



It is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.

Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.



Start with long multiplication, reminding the children about lining up their numbers clearly in columns.

If it helps, children can write out what they are solving next to their answer.

$$\begin{array}{r} 32 \\ \times 24 \\ \hline 128 \\ 640 \\ \hline 768 \end{array}$$









(4 x 2)
(4 x 30)
(20 x 2)
(20 x 30)







			7	4
	x	6	3	
			1	2
		2	1	0
		2	4	0
+	4	2	0	0
	4	6	6	2

This moves to the more compact method.

$$\begin{array}{r} 231 \\ 1342 \\ \times 18 \\ \hline 10736 \\ 13420 \\ \hline 24156 \end{array}$$

Division


Objective and Strategies	Concrete	Pictorial	Abstract
Appendix 1- Sharing objects into groups	  I have 10 cubes, can you share them equally in 2 groups?	Children use pictures or shapes to share quantities.  $8 \div 2 = 4$	Share 9 buns between three people. $9 \div 3 = 3$
Appendix 2- Division as grouping	Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding.   $96 \div 3 = 32$  	Use a number line to show jumps in groups. The number of jumps equals the number of groups.  Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.  $20 \div 5 = ?$ $5 \times ? = 20$	$28 \div 7 = 4$ Divide 28 into 7 groups. How many are in each group?

Appendix 3- Division within arrays	 Link division to multiplication by creating an array and thinking about the number sentences that can be created. Eg $15 \div 3 = 5$ $5 \times 3 = 15$ $15 \div 5 = 3$ $3 \times 5 = 15$	 Draw an array and use lines to split the array into groups to make multiplication and division sentences.	Find the inverse of multiplication and division sentences by creating four linking number sentences. $7 \times 4 = 28$ $4 \times 7 = 28$ $28 \div 7 = 4$ $28 \div 4 = 7$						
Appendix 4- Division with a remainder	$14 \div 3 =$ Divide objects between groups and see how much is left over 	Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.  Draw dots and group them to divide an amount and clearly show a remainder. 	Complete written divisions and show the remainder using r. $29 \div 8 = 3 \text{ REMAINDER } 5$ ↑ dividend ↑ divisor ↑ quotient ↑ remainder						
Appendix 5- Short division	<table><tr><td></td><td>Tens</td><td>Units</td></tr><tr><td></td><td>3</td><td>2</td></tr></table>  3 Use place value counters to divide using the bus stop method alongside		Tens	Units		3	2	Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.  Encourage them to move towards counting in multiples to divide more efficiently.	Begin with divisions that divide equally with no remainder. Move onto divisions with a  remainder.
	Tens	Units							
	3	2							




Calculations

$$42 \div 3$$




$$42 \div 3 =$$

Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.



We exchange this ten for ten ones and then share the ones equally among the groups.



We look how much in 1 group so the answer is 14.

Finally move into decimal places to divide the total accurately.

$$\begin{array}{r} 14.6 \\ 35 \overline{) 511.0} \\ \underline{35} \\ 16 \\ \underline{15} \\ 1 \\ \underline{0} \\ 0 \end{array}$$

Mental Method Strategies

Addition and Subtraction

Year 1

Children should understand when to and be able to apply these strategies:

- reorder numbers when adding, e.g. put the larger number first
- count on or back in ones, twos or tens
- partition small numbers, e.g. $8 + 3 = 8 + 2 + 1$
- partition and combine tens and ones
- partition: double and adjust, e.g. $5 + 6 = 5 + 5 + 1$

Year 2

Children should understand when to and be able to apply these strategies:

- reorder numbers when adding
- partition: bridge through 10 and multiples of 10 when adding and subtracting
- partition and combine multiples of tens and ones
- use knowledge of pairs making 10
- partition: count on in tens and ones to find the total
- partition: count on or back in tens and ones to find the difference
- partition: add a multiple of 10 and adjust by 1
- partition: double and adjust

Year 3:

Children should understand when to and be able to apply these strategies:

- reorder numbers when adding
- identify pairs totalling 10 or multiples of 10
- partition: add tens and ones separately, then recombine
- partition: count on in tens and ones to find the total
- partition: count on or back in tens and ones to find the difference

- partition: add or subtract 10 or 20 and adjust
- partition: double and adjust
- partition: count on or back in minutes and hours, bridging through 60 (analogue times)

Year 4

Children should understand when to and be able to apply these strategies:

- count on or back in hundreds, tens and ones
- partition: add tens and ones separately, then recombine
- partition: subtract tens and then ones, e.g. subtracting 27 by subtracting 20 then 7
- subtract by counting up from the smaller to the larger number
- partition: add or subtract a multiple of 10 and adjust, e.g. $56 + 29 = 56 + 30 - 1$, or $86 - 38 = 86 - 40 + 2$
- partition: double and adjust
- use knowledge of place value and related calculations, e.g. work out $140 + 150 = 290$ using $14 + 15 = 29$
- partition: count on or back in minutes and hours, bridging through 60 (analogue and digital times)

Year 5

Children should understand when to and be able to apply these strategies:

- count on or back in hundreds, tens, ones and tenths
- partition: add hundreds, tens or ones separately, then recombine
- subtract by counting up from the smaller to the larger number
- add or subtract a multiple of 10 or 100 and adjust
- partition: double and adjust
- use knowledge of place value and related calculations, e.g. $6.3 - 4.8$ using $63 - 48$
- partition: count on or back in minutes and hours, bridging through 60 (analogue and digital times)

Year 6

Children should understand when to and be able to apply these strategies:

- count on or back in hundreds, tens, ones, tenths and hundredths

- use knowledge of place value and related calculations, e.g. $680 + 430$, $6.8 + 4.3$, $0.68 + 0.43$ can all be worked out using the related calculation $68 + 43$
- use knowledge of place value and of doubles of two-digit whole numbers
- partition: double and adjust
- partition: add or subtract a whole number and adjust, e.g. $4.3 + 2.9 = 4.3 + 3 - 0.1$, $6.5 - 3.8 = 6.5 - 4 + 0.2$
- partition: count on or back in minutes and hours, bridging through 60 (analogue and digital times, 12-hour and 24-hour clock)

Mental Method Strategies

Multiplication and Division

Year 1

Children should understand when to and be able to apply these strategies:

- use patterns of last digits, e.g. 0 and 5 when counting in fives

Year 2

Children should understand when to and be able to apply these strategies:

- partition: double the tens and ones separately, then recombine
- use knowledge that halving is the inverse of doubling and that doubling is equivalent to multiplying by two
- use knowledge of multiplication facts from the 2, 5 and 10 times-tables, e.g. recognise that there are 15 objects altogether because there are three groups of five

Year 3

Children should understand when to and be able to apply these strategies:

- partition: when doubling, double the tens and ones separately, then recombine
- partition: when halving, halve the tens and ones separately, then recombine

- use knowledge that halving and doubling are inverse operations
- recognise that finding a unit fraction is equivalent to dividing by the denominator and use knowledge of division facts
- recognise that when multiplying by 10 or 100 the digits move one or two places to the left and zero is used as a place holder

Year 4

Children should understand when to and be able to apply these strategies:

- partition: double or halve the tens and ones separately, then recombine
- use understanding that when a number is multiplied or divided by 10 or 100, its digits move one or two places to the left or the right and zero is used as a place holder
- use knowledge of multiplication facts and place value,

e.g. $7 \times 8 = 56$ to find 70×8 , 7×80

- use partitioning and the distributive law to multiply,

e.g. $13 \times 4 = (10 + 3) \times 4 = (10 \times 4) + (3 \times 4) = 40 + 12 = 52$

Year 5

Children should understand when to and be able to apply these strategies:

- multiply or divide by 4 or 8 by repeated doubling or halving
- form an equivalent calculation, e.g. to multiply by 5, multiply by 10, then halve; to multiply by 20, double, then multiply by 10
- use knowledge of doubles/ halves and understanding of place value, e.g. when multiplying by 50 multiply by 100 and divide by 2
- use knowledge of division facts, e.g. when carrying out a division to find a remainder

- use understanding that when a number is multiplied or divided by 10 or 100, its digits move one or two places to the left or the right relative to the decimal point, and zero is used as a place holder
- use knowledge of multiplication and division facts and understanding of place value, e.g. when calculating with multiples of 10
- use knowledge of equivalence between fractions and percentages, e.g. to find 50%, 25% and 10%
- use knowledge of multiplication and division facts to find factor pairs

Year 6

Children should understand when to and be able to apply these strategies:

- partition: use partitioning and the distributive law to divide tens and ones separately,

e.g. $92 \div 4 = (80 + 12) \div 4 = 20 + 3 = 23$

- form an equivalent calculation,

e.g. to divide by 25, divide by 100, then multiply by 4; to divide by 50, divide by 100, then double

- use knowledge of the equivalence between fractions and percentages and the relationship between fractions and division
- recognise how to scale up or down using multiplication and division,

e.g. if three oranges cost 24p: one orange costs $24 \div 3 = 8$ p four oranges cost $8 \times 4 = 32$ p

- Use knowledge of multiplication and division facts to identify factor pairs and numbers with only two factors