National curriculum tests

Key stage 2

Mathematics test framework

National curriculum tests from 2016

For test developers



© Crown copyright 2015

Key stage 2 mathematics test framework: national curriculum tests from 2016 Electronic version product code: STA/15/7342/e ISBN: 978-1-78315-827-0

You may re-use this document/publication (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence/version/3 or email: psi@nationalarchives.gsi.gov.uk.

Where we have identified any third-party copyright information you will need to obtain permission from the copyright holders concerned.

This document is available for download on the GOV.UK website at www.gov.uk/sta.

Contents

| 1. Overview | 4 |
|--|----------------------------------|
| 1.1 Purposes of statutory assessment | 4 |
| 2. What is a test framework? | 5 |
| 3. Nature of the test 3.1 Population to be assessed 3.2 Test format | 6 6 |
| 3.3 Resource list | 7 |
| 4. Content domain4.1 Content domain referencing system4.2 Content domain for key stage 2 mathematics4.3 Elements of the national curriculum that cannot be assessed fully | 8 8 11 28 |
| 5. Cognitive domain5.1 Depth of understanding5.2 Computational complexity5.3 Spatial reasoning and data interpretation5.4 Response strategy | 29 30 31 32 |
| 6.Test specification 6.1 Summary 6.2 Breadth and emphasis 6.3 Format of questions and responses 6.4 Marking and mark schemes 6.5 Reporting 6.6 Desired psychometric properties 6.7 Performance descriptor | 33 33 35 36 36 37 |
| 7. Diversity and inclusion7.1 Access arrangements | 41 42 |
| Appendix: Glossary of terminology used in the test framework | 43 |
| References | 44 |

1. Overview

This test framework is based on the national curriculum programme of study (2014) for mathematics, introduced for teaching in schools from September 2014 and first assessed in summer 2016. The framework specifies the purpose, format, content and cognitive domains of the key stage 2 mathematics tests; it is not designed to be used to guide teaching and learning or to inform statutory teacher assessment.

This document has been produced to aid the test development process.

1.1 Purposes of statutory assessment

The main purpose of statutory assessment is to ascertain what pupils have achieved in relation to the attainment targets outlined in the national curriculum (2014) in mathematics.

The main intended uses of the outcomes as set out in the Bew Report and the Government's consultation document on primary assessment and accountability are to:

- hold schools accountable for the attainment and progress made by their pupils
- inform parents and secondary schools about the performance of individual pupils
- enable benchmarking between schools, as well as monitoring performance locally and nationally.

2. What is a test framework?

The purpose of the test framework is to provide the documentation to guide the development of the tests. The framework is written primarily for those who write test materials and to guide subsequent development and test construction. It is being made available to a wider audience for reasons of openness and transparency.

Some elements of the statutory national curriculum are not possible to assess using the current form of testing; they will need to be assessed by teachers as part of their statutory assessment of the complete national curriculum.

The framework includes those parts of the programme of study as outlined in the national curriculum (2014) that will be covered in the test (the content domain). The cognitive processes associated with the measurement of mathematics are also detailed in the cognitive domain.

The test framework also includes a test specification from which valid, reliable and comparable tests can be constructed each year. This includes specifics about test format, question types, response types, marking and a clear test-level reporting strategy.

By providing all of this information in a single document, the test framework answers questions about what the test will cover, and how, in a clear and concise manner. The framework does not provide information on how teachers should teach the national curriculum.

The test development process used by the Standards and Testing Agency (STA) embeds within it the generation of validity and reliability evidence through expert review and trialling. Given the nature of the evidence collected, it is not anticipated that any additional studies will be required in order to demonstrate that the tests are fit for purpose. The test framework does not provide detail of the validity and reliability of individual tests; this will be provided in the test handbook, which will be published on the DfE's website following the administration of the test.

The test framework should be used in conjunction with the national curriculum (2014) and the annual 'Assessment and reporting arrangements' (ARA) document.

3. Nature of the test

The key stage 2 mathematics test forms part of the statutory assessment arrangements for pupils at the end of key stage 2.

The test is based on the relevant sections of the national curriculum statutory programme of study (2014) for mathematics at key stage 2.

The test will cover the aspects of the curriculum that lend themselves to paper-based, externally marked testing.

3.1 Population to be assessed

All eligible pupils who are registered at maintained schools, special schools or academies (including free schools) in England and are at the end of key stage 2 will be required to take the key stage 2 mathematics test, unless they have taken it in the past.

Some pupils are exempt from the tests. Further details are in the ARA, which can be found on the GOV.UK website at www.gov.uk/sta.

3.2 Test format

The key stage 2 mathematics test comprises two components, which will be presented to pupils as three separate test papers. The first component is an arithmetic paper. The second component is administered as two papers; there are no significant differences in format between the two papers. The test is administered on paper and the total testing time is 110 minutes.

Table 1: Format of the test

| Component | Description | Number of papers | Number of marks | Timing of component |
|--|---|---------------------|-------------------------------|---------------------------------------|
| Paper 1: arithmetic | arithmetic assesses pupils' confidence with the range of mathematical operations | 1 | 40 | 30 minutes |
| Paper 2 and Paper 3: mathematical reasoning | mathematical fluency, solving mathematical problems and mathematical reasoning | 2 | 70 overall 35 per paper | 80 minutes 40 minutes per paper |
| | Total | 3 | 110 | 110 minutes |

3.3 Resource list

The resource list for the mathematics tests comprises:

- Paper 1: arithmetic a blue/black pen or a dark pencil; ruler; rubber (optional).
- Paper 2 and Paper 3: mathematical reasoning a blue/black pen or a dark pencil; a sharp, dark pencil for mathematical drawing; ruler (showing centimetres and millimetres); angle measurer or protractor; mirror; rubber (optional).

4. Content domain

The content domain sets out the relevant elements from the national curriculum programme of study (2014) for mathematics at key stage 2 that are assessed in the mathematics test. The tests will, over time, sample from each area of the content domain.

The content domain also identifies elements of the programme of study that cannot be assessed in the key stage 2 tests (section 4.3). Attainment in these elements will be monitored through teacher assessment.

Tables 2 and 3 detail content from the national curriculum (2014). Elements from the curriculum are ordered to show progression across the years. The curriculum has been grouped into subdomains and these are detailed in the 'strand' column.

4.1 Content domain referencing system

A referencing system is used in the content domain to indicate the year, the strand and the substrand, for example '3N1' equates to:

- year 3
- strand Number and place value
- substrand 1.

Table 2 shows the references for the strands and substrands and Table 3 shows the progression across the years.

Table 2: Content domain strands and substrands

| Strand | Substrand | Content domain reference |
|------------------------|--|--------------------------|
| Number and place value | counting (in multiples) | N1 |
| value | read, write, order and compare numbers | N2 |
| | place value; roman numerals | N3 |
| | identify, represent and estimate; rounding | N4 |
| | negative numbers | N5 |
| | number problems | N6 |

| Strand | Substrand | Content domain reference |
|--|---|--------------------------|
| Addition, subtraction, | add / subtract mentally | C1 |
| multiplication and division (calculations) | add / subtract using written methods | C2 |
| | estimate, use inverses and check | C3 |
| | add / subtract to solve problems | C4 |
| | properties of number (multiples, factors, primes, squares and cubes) | C5 |
| | multiply / divide mentally | C6 |
| | multiply / divide using written methods | С7 |
| | solve problems (commutative, associative, distributive and all four operations) | C8 |
| | order of operations | С9 |
| Fractions, decimals | recognise, find, write, name and count fractions | F1 |
| and percentages | equivalent fractions | F2 |
| | comparing and ordering fractions | F3 |
| | add / subtract fractions | F4 |
| | multiply / divide fractions | F5 |
| | fractions / decimals equivalence | F6 |
| | rounding decimals | F7 |
| | compare and order decimals | F8 |
| | multiply / divide decimals | F9 |
| | solve problems with fractions and decimals | F10 |
| | fractions / decimal / percentage equivalence | F11 |
| | solve problems with percentages | F12 |
| Ratio and proportion | relative sizes, similarity | R1 |
| | use of percentages for comparison | R2 |
| | scale factors | R3 |
| | unequal sharing and grouping | R4 |

| Strand | Substrand | Content domain reference |
|-----------------------|--|--------------------------|
| Algebra | missing number problems expressed in algebra | A1 |
| | simple formulae expressed in words | A2 |
| | generate and describe linear number sequences | А3 |
| | number sentences involving two unknowns | A4 |
| | enumerate all possibilities of combinations of two variables | A5 |
| Measurement | compare, describe and order measures | M1 |
| | estimate, measure and read scales | M2 |
| | money | М3 |
| | telling time, ordering time, duration and units of time | M4 |
| | convert between metric units | M5 |
| | convert metric / imperial | M6 |
| | perimeter, area | M7 |
| | volume | M8 |
| | solve problems (a, money; b, length; c, mass / weight; d, capacity / volume) | M9 |
| Geometry – properties | recognise and name common shapes | G1 |
| of shapes | describe properties and classify shapes | G2 |
| | draw and make shapes and relate 2-D to 3-D shapes (including nets) | G3 |
| | angles – measuring and properties | G4 |
| | circles | G 5 |
| Geometry – position | patterns | P1 |
| and direction | describe position, direction and movement | P2 |
| | co-ordinates | Р3 |
| Statistics | interpret and represent data | S 1 |
| | solve problems involving data | S2 |
| | mean average | S3 |

4.2 Content domain for key stage 2 mathematics

Table 3: Content domain

| 3 | | | | Content domain reference | ain refe | rence | | |
|---------------------------|------|--|------|--|----------|---|-----|---|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Number and place value | 3N1b | count from 0 in multiples of 4, 8, 50 and 100 | 4N1 | count in multiples of 6, 7, 9, 25 and 1,000 | 5N1 | count forwards or backwards in steps of powers of 10 for any given number up to 1,000,000 | | |
| | 3N2a | compare and order numbers up to 1,000 read and write numbers to 1,000 in numerals and in words | 4N2a | order and compare numbers beyond 1,000 | 5N2 | read, write, order and compare numbers to at least 1,000,000 | 6N2 | read, write, order and compare numbers up to 10,000,000 |
| | 3N2b | find 10 or 100 more or less than a given number | 4N2b | find 1,000 more or less than a given number | | | | |
| | 3N3 | recognise the place value of each digit in a three-digit number (hundreds, tens, ones) | 4N3a | recognise the place value of each digit in a four- digit number (thousands, hundreds, tens and ones) | 5N3a | determine the value of each digit in numbers up to 1,000,000 | 6N3 | determine the value of each digit in numbers up to 10,000,000 |
| | | | 4N3b | read Roman numerals to 100 (I to C) and know that over time, the numeral system changed to include the concept of zero and place value | 5N3b | read Roman numerals to 1,000 (M) and recognise years written in Roman numerals | | |
| | 3N4 | identify, represent and estimate numbers using different representations | 4N4a | identify, represent and estimate numbers using different representations | | | | |

| | | | | Content domain reference | ain ref | erence | | |
|---|-----|--|------|--|---------|--|-----|--|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Number and place value, (continued) | | | 4N4b | round any number to the nearest 10, 100 or 1,000 | 5N4 | round any number up to 1,000,000 to the nearest 10, 100, 1,000, 10,000 and 100,000 | 6N4 | round any whole number to a required degree of accuracy |
| | | | 4N5 | count backwards through zero to include negative numbers | 5N5 | interpret negative numbers in context, count forwards and backwards with positive and negative whole numbers, including through zero | 6N5 | use negative numbers in context, and calculate intervals across zero |
| | 3N6 | solve number problems and practical problems involving 3N1–3N4 | 4N6 | solve number and practical problems that involve 4N1–4N5 and with increasingly large positive numbers | 5N6 | solve number problems and practical problems that involve 5N1–5N5 | 6N6 | solve number problems and practical problems that involve 6N2–6N5 |
| Addition, subtraction, multiplication | 3C1 | add and subtract numbers mentally, including: | | | 5C1 | add and subtract numbers mentally with increasingly large | | |
| and division (calculations) | | a three-digit number and ones | | | | numbers | | |
| | | a three-digit number and tens | | | | | | |
| | | a three-digit number and hundreds | | | | | | |
| | 3C2 | add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction | 402 | add and subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where | 5C2 | add and subtract whole numbers with more than 4 digits, including using formal written methods (columnar addition and subtraction) | | |

| | | | | Content domain reference | ain ref | erence | | |
|---|-----|---|-----|--|---------|--|-----|--|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Addition, subtraction, multiplication and division (calculations) (continued) | 3C3 | estimate the answer to a calculation and use inverse operations to check answers | 4C3 | estimate and use inverse operations to check answers to a calculation | 5C3 | use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy | 603 | use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy |
| | 3C4 | solve problems, including missing number problems, using number facts, place value, and more complex addition and subtraction | 4C4 | solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why | 5C4 | solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why | 6C4 | solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why |
| | | | | | 5C5a | identify multiples and factors, including finding all factor pairs of a number and common factors of two numbers | 6C5 | identify common factors, common multiples and prime numbers |
| | | | | | 5C5b | know and use the vocabulary of prime numbers, prime factors and composite (nonprime) numbers | | |
| | | | | | 5C5c | establish whether a number up to 100 is prime and recall prime numbers up to 19 | | |
| | | | | | 5C5d | recognise and use square numbers and cube numbers, and the notation for squared (²) and cubed (³) | | |

| | | | | Content domain reference | nain refe | erence | | |
|---|---------|--|-----|---|-----------|---|------|---|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Addition, subtraction, multiplication and division (calculations) (continued) | | | | | 5C7b | divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context | 6C7b | divide numbers up to 4 digits by a two- digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context |
| | | | | | | | 6C7c | divide numbers up to 4 digits by a two- digit number using the formal written method of short division where appropriate, interpreting remainders according to the context |
| | 88 8 | solve problems, including missing number problems, involving multiplication and division, including integer scaling problems and correspondence problems in which <i>n</i> objects are connected to <i>m</i> objects | 4C8 | solve problems involving multiplying and adding, including using the distributive law to multiply twodigit numbers by one digit, integer scaling problems and harder correspondence problems such as <i>n</i> objects are connected to <i>m</i> objects | 5C8a | solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes | 809 | solve problems involving addition, subtraction, multiplication and division |

| | Year 6 | | | use their knowledgeof the order ofoperations to carry outcalculations involvingthe four operations | | |
|--------------------------|--------|---|--|--|--|---|
| ference | Year 5 | solve problems involving addition, subtraction, multiplication and a combination of these, including understanding the meaning of the equals sign | solve problems involving multiplication and division including scaling by simple fractions and problems involving simple rates | | | |
| ain re | | 5C8b | 5C8c | | | |
| Content domain reference | Year 4 | | | | 4F1 count up and down in hundredths; recognise that hundredths arise when dividing an object by a hundred and dividing tenths by ten | |
| | Year 3 | | | | count up and down in tenths; recognise that tenths arise from dividing an object into 10 equal parts and in dividing one-digit numbers or quantities by 10 | recognise, find and write fractions of a discrete set of objects: unit fractions and non-unit fractions with small denominators |
| | | | | | 3F1a | 3F1b |
| | Strand | Addition, subtraction, multiplication and division (calculations) | | | Fractions, decimals and percentages | |

| | | | | Content domain reference | ain refe | rence | | |
|---|------|--|-----|--|----------|---|--|--|
| Strand | | Year 3 | | Year 4 | | Year 5 | * | Year 6 |
| Fractions, decimals and percentages (continued) | 3F1c | recognise and use fractions as numbers: unit fractions and non- unit fractions with small denominators | | | | | | |
| | 3F2 | recognise and show, using diagrams, equivalent fractions with small denominators | 4F2 | recognise and show, using diagrams, families of common equivalent fractions | 5F2a | recognise mixed numbers and improper fractions and convert from one form to the other; write mathematical statements > 1 as a mixed number [e.g. $\frac{2}{5} + \frac{4}{5} = \frac{6}{5} = 1\frac{1}{5}$] | 6F2 use co simplif comm expres same c | use common factors to simplify fractions; use common multiples to express fractions in the same denomination |
| | | | | | 5F2b | identify name and write equivalent fractions of a given fraction, represented visually, including tenths and hundredths | | |
| | 3F3 | compare and order unit fractions and fractions with the same denominators | | | 5F3 | compare and order fractions whose denominators are all multiples of the same number | 6F3 compare an fractions, in fractions >1 | compare and order fractions, including fractions >1 |
| | 3F4 | add and subtract fractions with the same denominator within one whole $[e.g. \frac{5}{7} + \frac{1}{7} = \frac{6}{7}]$ | 4F4 | add and subtract fractions with the same denominator | 5F4 | add and subtract fractions with the same denominator and denominators that are multiples of the same number | 6F4 add an fractio denom mixed using t equiva | add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions |

| | | | Content domain reference | ain refe | rence | | |
|---|--|-------|--|----------|---|------|---|
| Strand | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Fractions, decimals and percentages (continued) | | 4F9 | find the effect of dividing a one- or two-digit number by 10 and 100, identifying the value of the digits in the answer as ones, tenths and hundredths | | | 6F9a | identify the value of each digit to three decimal places and multiply and divide numbers by 10, 100 and 1,000 giving answers up to three decimal places |
| | | | | | | 6F9b | multiply one-digit numbers with up to two- decimal places by whole numbers |
| | | | | | | 6F9c | use written division methods in cases where the answer has up to two-decimal places |
| | 3F10 solve problems that involve 3F1–3F4 | 4F10a | solve problems involving increasingly harder fractions to calculate quantities and fractions to divide quantities, including non-unit fractions where the answer is a whole number | 5F10 | solve problems involving numbers up to three decimal places | 6F10 | solve problems which require answers to be rounded to specified degrees of accuracy |
| | | 4F10b | solve simple measure and money problems involving fractions and decimals to two decimal places | | | | |

| | | Content domain reference | ain referenc | ė | | |
|---|--------|--------------------------|--|--|------|---|
| Strand | Year 3 | Year 4 | ŕ | Year 5 | | Year 6 |
| Fractions, decimals and percentages (continued) | | | SF11 recognis cent sym underste relates te parts per percents with der hundred | recognise the per cent symbol (%) and understand that per cent relates to 'number of parts per hundred'; write percentages as a fraction with denominator hundred, and as a | 6F11 | recall and use equivalences between simple fractions, decimals and percentages, including in different contexts |
| | | | 5F12 solve required $\frac{2}{2}$, $\frac{2}{4}$ those a dermalting multiplication $\frac{2}{4}$. | solve problems that require knowing percentage and decimal equivalents of $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{5}$, $\frac{2}{5}$, $\frac{4}{5}$ and those fractions with a denominator of a multiple of 10 or 25 | | |
| Ratio and proportion | | | | | 6R1 | solve problems involving the relative sizes of two quantities, where missing values can be found by using integer multiplication and division facts |
| | | | | | 6R2 | solve problems involving the calculation of percentages [e.g. of measures such as 15% of 360] and the use of percentages for comparison |
| | | | | | 6R3 | solve problem involving similar shapes where the scale factor is known or can be found |

| | | | | Content dom | Content domain reference | | |
|----------------------------------|------|-----------------------------------|-----|---|--------------------------|-----|--|
| Strand | | Year 3 | | Year 4 | Year 5 | | Year 6 |
| Ratio and proportion (continued) | | | | | | 6R4 | solve problems involving unequal sharing and grouping using knowledge of fractions and multiples |
| Algebra | | | | | | 6A1 | express missing number problems algebraically |
| | | | | | | 6A2 | use simple formulae |
| | | | | | | 6A3 | generate and describe linear number sequences |
| | | | | | | 6A4 | find pairs of numbers that satisfy an equation with two unknowns |
| | | | | | | 6A5 | enumerate possibilities of combinations of two variables |
| Measurement | 3M1a | compare lengths (m/cm/mm) | 4M1 | compare different measures, including money in pounds and pence | | | |
| | 3M1b | compare mass (kg/g) | | | | | |
| | 3M1c | compare volume/capacity (I/ml) | | | | | |
| | 3M2a | measure lengths (m/cm/mm) | 4M2 | estimate different measures, including money in pounds and pence | | | |
| | 3M2b | measure mass (kg/g) | | | | | |

| Strand | | Year 3 | | Content domain reference | ain refe | erence Year 5 | Year 6 |
|-------------------------|------|--|------|---|----------|---|--------|
| Measurement (continued) | 3M2c | measure volume / capacity (I / ml) | | | | | |
| | M3 | Key stage 1 content domain | i. | | | | |
| | 3M4a | tell and write the time from an analogue clock; 12-hour clocks | 4M4a | read, write and convert time between analogue and digital 12-hour clocks | | | |
| | 3M4b | tell and write the time from an analogue clock; 24-hour clocks | 4M4b | read, write and convert time between analogue and digital 24-hour clocks | | | |
| | 3M4c | tell and write the time from an analogue clock, including using Roman numerals from I to XII | 4M4c | solve problems involving converting from hours to minutes; minutes to seconds; years to months; weeks to days | 5M4 | solve problems involving converting between units of time | |
| | 3M4d | estimate and read time with increasing accuracy to the nearest minute; record and compare time in terms of seconds, minutes and hours; use vocabulary such as o'clock / a.m. / p.m., morning, afternoon, noon and midnight | | | | | |
| | 3M4e | know the number of seconds in a minute and the number of days in each month, year and leap year | | | | | |

| j | | | | Content domain reference | ain ref | rence | | |
|----------------------------|------|---|------|---|---------|--|------|---|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Measurement (continued) | 3M4f | compare durations of events, [e.g. to calculate the time taken by particular events or tasks] | | | | | | |
| | | | 4M5 | convert between different units of measurement [e.g. kilometre to metre; hour to minute] | 5M5 | convert between different units of metric measure [e.g. kilometre and metre; centimetre and millimetre; gram and kilogram; litre and millilitre] | 6M5 | use, read, write and convert between standard units, converting measurements of length, mass, volume and time from a smaller unit of measure to a larger unit, and vice versa, using decimal notation of up to three decimal places |
| | | | | | 5M6 | understand and use approximate equivalences between metric units and common imperial units such as inches, | 9W6 | convert between miles and kilometres |
| | 3M7 | measure the perimeter of simple 2–D shapes | 4M7a | measure and calculate the perimeter of a rectilinear figure (including squares) in centimetres and metres | 5M7a | measure and calculate the perimeter of composite rectilinear shapes in centimetres and metres | 6M7a | recognise that shapes with the same areas can have different perimeters and vice versa |

| | | Content domain reference | in refe | rence | | |
|-------------------------|---|--|---------|--|------|---|
| Strand | Year 3 | Year 4 | | Year 5 | | Year 6 |
| Measurement (continued) | | 4M7b find the area of rectilinear shapes by counting squares | 5М7Ь | calculate and compare the area of rectangles (including squares), and including using standard units, square centimetres (cm²) and square the area of irregular shapes | 6M7b | calculate the area of parallelograms and triangles |
| | | | | | 6М7с | recognise when it is possible to use the formulae for the area of shapes |
| | | | 5M8 | estimate volume [e.g. using 1 cm³ blocks to build cuboids (including cubes)] and capacity [e.g. using water] | бМ8а | calculate, estimate and compare volume of cubes and cuboids using standard units, including centimetre cubed (cm³) and cubic metres (m³), and extending to other units [e.g. mm³ and km³] |
| | | | | | 6М8Ь | recognise when it is possible to use the formulae for the volume of shapes |
| | 3M9a add and subtract amounts of money to give change, using both pounds (£) and pence (p) in practical contexts | 4M9 calculate different measures, including money in pounds and pence | 5М9а | use all four operations to solve problems involving measures [money] using decimal notation, including scaling | 6W9 | solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate |

| | | | | Content domain reference | ain refe | rence | | |
|----------------------------|--------|--|------|---|----------|---|------|--|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Measurement (continued) | змэь | add and subtract lengths (m/cm/mm) | | | 5M9b | use all four operations to solve problems involving measure [e.g. length] using decimal notation, | | |
| | 3M9c | add and subtract mass (kg/g) | | | 5M9c | use all four operations to solve problems involving measure [e.g. mass] using decimal notation, including scaling | | |
| | 3M9d | add and subtract volume / capacity (l / ml) | | | 5M9d | use all four operations to solve problems involving measure [e.g. volume] using decimal notation, including scaling | | |
| Geometry – | G1 Wit | G1 Within key stage 1 content domain | nain | | | | | |
| shapes of | 3G2 | identify horizontal, vertical lines and pairs of perpendicular and parallel lines | 4G2a | compare and classify geometric shapes, including quadrilaterals and triangles based on their properties and sizes | 5G2a | use the properties of rectangles to deduce related facts and find missing lengths and angles | 6G2a | compare and classify geometric shapes based on their properties and sizes |
| | | | 4G2b | identify lines of symmetry in 2-D shapes presented in different orientations | 5G2b | distinguish between regular and irregular polygons based on reasoning about equal sides and angles | 6G2b | describe simple 3-D shapes |
| | | | 4G2c | complete a simple symmetric figure with respect to a specific line of symmetry | | | | |

| | | | | • | | | | |
|---|------|--|-----|--|----------|--|------|--|
| Ctrand | | | | Content domain reference | ain refe | erence | | |
| oligino. | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Geometry - properties of shapes (continued) | 3G3a | draw 2-D shapes | | | | | 6G3a | draw 2-D shapes using given dimensions and angles |
| | 3G3b | make 3-D shapes using modelling materials; recognise 3-D shapes in different orientations and describe them | | | 5G3b | identify 3-D shapes including cubes and other cuboids, from 2-D representations | q£99 | recognise and build simple 3-D shapes, including making nets |
| | 3G4a | recognise that angles are a property of shape or a description of a turn | 464 | identify acute and obtuse angles and compare and order angles up to two right angles by size | 5G4a | know angles are measured in degrees: estimate and compare acute, obtuse and reflex angles | 6G4a | find unknown angles in any triangles, quadrilaterals and regular polygons |
| | 3G4b | identify right angles, recognise that two right angles make a half-turn, three make three quarters of a turn and four a complete turn; identify whether angles are greater than or less than a right angle | | | 5G4b | identify: • angles at a point and one whole turn (total 360°) • angles at a point on a straight line and $\frac{1}{2}$ a turn (total 180°) • other multiples of 90° | 6G4b | recognise angles where they meet at a point, are on a straight line, or are vertically opposite, and find missing angles |
| | | | | | 5G4c | draw given angles and measure them in degrees (°) | | |
| | | | | | | | 6G5 | illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius |

| | | | | Content domain reference | ain refe | erence | | |
|------------|-------|--|------|---|----------|---|-----|--|
| Strand | | Year 3 | | Year 4 | | Year 5 | | Year 6 |
| Geometry – | P1 Wi | P1 Within key stage 1 content domain | nain | | | | | ı |
| direction | | | 4P2 | describe movements between positions as translations of a given unit to the left / right and up / down | 5P2 | identify, describe and represent the position of a shape following a reflection or translation, using the appropriate language, and know that the shape has not changed | 6P2 | draw and translate simple shapes on the co-ordinate plane, and reflect them in the axes |
| | | | 4P3a | describe positions on a 2-D grid as co-ordinates in the first quadrant | | | 6P3 | describe positions on the full co-ordinate grid (all four quadrants) |
| | | | 4P3b | plot specified points and draw sides to complete a given polygon | | | | |
| Statistics | 351 | interpret and present data using bar charts, pictograms and tables | 451 | interpret and present discrete and continuous data using appropriate graphical methods, including bar charts and time graphs | 551 | complete, read and interpret information in tables, including timetables | 651 | interpret and construct pie charts and line graphs and use these to solve problems |
| | 352 | solve one-step and two- step questions [e.g. 'How many more?' and 'How many fewer?'] using information presented in scaled bar charts, pictograms and tables | 452 | solve comparison, sum and difference problems using information presented in bar charts, pictograms, tables and other graphs | 552 | solve comparison, sum and difference problems using information presented in a line graph | | |
| | | | | | | | 683 | calculate and interpret the mean as an average |

4.3 Elements of the national curriculum that cannot be assessed fully

The table below identifies areas that are difficult to fully assess in a paper-based format. Some of the points below may be partially assessed.

Table 4: Elements of the curriculum that cannot be assessed fully

| Content domain reference | Explanation |
|--|--|
| 3C1, 5C1, 4C6, 5C5c, 5C6a, 6C6 and 6F11 – mental arithmetic skills | Mental mathematics skills cannot be directly assessed in a paper-based test since only the pupil's responses can be marked. For questions where only the answer is recorded, it is not possible to know the method that the pupil used or how quickly he or she completed the question. |
| | Pupils who are fluent with numbers will be able to use their mental arithmetic skills to find efficient strategies for completing calculations under test conditions. Therefore, good mental arithmetic skills will enable pupils to recall and apply number knowledge rapidly and accurately. |
| 3G3b – make 3-D shapes using modelling materials | Requires practical equipment to assess validly. |
| 5M8 – estimate capacity (e.g. using water) | Requires practical equipment to assess validly. |

5. Cognitive domain

The cognitive domain seeks to make the thinking skills and intellectual processes required for the key stage 2 mathematics test explicit. Each question will be rated against the four strands of the cognitive domain listed in sections 5.1 to 5.4 below to provide an indication of the cognitive demand.

The cognitive domain will be used during test development to ensure comparability of demand as well as difficulty for tests in successive years. The national curriculum (2014) aims of solving mathematical problems, fluency and mathematical reasoning are reflected within the cognitive domain.

5.1 Depth of understanding

This strand is used to assess the demand associated with recalling facts and using procedures to solve problems.

Questions requiring less depth of understanding require simple procedural knowledge, such as the quick and accurate recall of mathematical facts or the application of a single procedure to solve a problem.

At intermediate levels of demand, a question may require the interpretation of a problem or application of facts and procedures. However, the component parts of these questions are simple and the links between the parts and processes are clear.

At a high level of demand, a greater depth of understanding is expected. Questions may require that facts and procedures will need to be used flexibly and creatively to find a solution to the problem.

Table 5: Depth of understanding

| Stupp d | | Rating | g scale | |
|------------------------|--|--|---|--|
| Strand | (low) 1 | 2 | 3 | 4 (high) |
| Depth of understanding | recall of facts or application of procedures | use facts and procedures to solve simple problems | use facts and procedures to solve more complex problems | understand and use facts and procedures creatively to solve complex or unfamiliar problems |

5.2 Computational complexity

This strand is used to assess the computational demand of problems.

In questions with low complexity, there will be no numeric operation.

In questions with lower complexity, it is likely that a one-step process such as recalling a mathematical fact or the application of a simple procedure will be sufficient to solve the problem.

At an intermediate level of complexity, more than one numeric step or computation will be needed to solve the problem.

At a high level of complexity, questions will have multiple numeric steps or computations and the links between them within the problem will be complex.

Table 6: Computational complexity

| Chuond | | Rating | g scale | |
|--------------------------|---------------------|---|--|---|
| Strand | (low) 1 | 2 | 3 | 4 (high) |
| Computational complexity | no numeric steps | one, or a small number of numeric steps | a larger number of numeric steps all steps are simple | a larger number of numeric steps, at least one of which is more complex |

5.3 Spatial reasoning and data interpretation

This strand is used to assess the demand associated with the representation of geometrical problems involving 2-dimensional and 3-dimensional shapes and position and movement. This strand is also used to assess the demand associated with interpreting data presented in tables, pictograms, charts and graphs.

There is a low level of demand when all of the resources or information required to answer the question are presented within the problem (e.g. finding the perimeter of a shape by adding the length of the sides).

At intermediate levels of demand, spatial reasoning will be needed to manipulate the information presented in the question to solve the problem (e.g. reflect a polygon in a mirror line). Pupils may need to select the appropriate information in order to complete the problem (e.g. from a table, chart or graph).

At the highest level of demand, there may be the need to use complex spatial reasoning to interpret, infer or generate new information from that given before the problem can be completed (such as identifying 3-dimensional characteristics from 2-dimensional representations or making inferences from the given information).

Table 7: Spatial reasoning and data interpretation

| Strand | | Rating | g scale | |
|------------------------|---------------------------------------|--|---|---|
| Strand | (low) 1 | 2 | 3 | 4 (high) |
| Spatial reasoning | no spatial reasoning required | manipulation of the geometric information is required | complex manipulation of the geometric information is required | interpret, infer or generate new geometric information |
| Data interpretation | no data interpretation required | select and retrieve information | select and interpret information | generate or infer new information from data |

5.4 Response strategy

This strand describes the demand associated with constructing a response to a question.

At a low level of demand, the strategy for solving a problem is given as part of the presentation of the problem.

At a lower intermediate level of demand, the strategy for answering a problem is clear and following simple steps will lead to completion of the problem. Some reasoned construction may be associated with organising appropriate working.

At an upper intermediate level of demand, there may be the need to construct a straightforward response. Some reasoned construction may be associated with organising more complex working.

At a high level of demand, the question will require that a strategy is developed and monitored to complete the task. The answer may need to be constructed, organised and reasoned.

Table 8: Response strategy

| Stron d | Rating scale | | | |
|----------------------|--|---------------------------------------|--|---------------------------------------|
| Strand | (low) 1 | 2 | 3 | 4 (high) |
| Response strategy | select one or more responses or construct a simple response | construct a small set of responses | construct a straightforward explanation shows evidence of a method | construct a complex explanation |

6. Test specification

This section provides details of each test component.

6.1 Summary

The test comprises two components, which will be presented to pupils as three separate papers.

Table 9: Format of the test

| Component | Description | Number of papers | Number of marks | Timing of component |
|---|---|---------------------|-------------------------------|---------------------------------------|
| Paper 1: arithmetic | arithmetic assesses pupils' confidence with the range of mathematical operations | 1 | 40 | 30 minutes |
| Paper 2 and Paper 3: mathematical reasoning | mathematical fluency, solving mathematical problems and mathematical reasoning | 2 | 70 overall 35 per paper | 80 minutes 40 minutes per paper |
| | Total | 3 | 110 | 110 minutes |

6.2 Breadth and emphasis

The content and cognitive domains for the mathematics tests are specified in sections 4 and 5. The test will sample from the content domain in any given year. Although every element may not be included within each test, the full range of content detailed in this document will be assessed over time. Consolidation of the key stage 1 material is assumed within the key stage 2 programme of study and therefore material from key stage 1 may appear within the key stage 2 test. The questions in each test will be placed in an approximate order of difficulty.

The following sections show the proportion of marks attributed to each of the areas of the content and cognitive domains in a test.

6.2.1 Profile of content domain

Each of the nine strands listed in Table 10 will be tested on a yearly basis and these will be present in the tests in the ratios shown.

Table 10 shows the distribution of marks across the content domain.

Table 11 shows the distribution of marks across the components of the test and by national curriculum element.

Table 10: Profile of content domain

| Content area Strand | Number of marks | Percentage of marks |
|--|--------------------|---------------------|
| Number, ratio and algebra | 83–93 | 75–85% |
| Number, place value (N) Addition, subtraction, multiplication, division, calculations (C) Fractions, decimals and percentages (F) Ratio and proportion (R) Algebra (A) | | |
| Measurement, geometry and statistics Measurement (M) Geometry – properties of shapes (G) Geometry – position and direction (P) Statistics (S) | 17–27 | 15–25% |

Table 11: Profile of marks by paper and national curriculum element

| Paper | Number, ratio and algebra | Measurement, geometry and statistics | Total marks |
|---|------------------------------|--|-----------------------|
| Paper 1 (arithmetic) | 40 | 0 | 40 |
| Papers 2 and 3 (fluency, mathematical problem solving and mathematical reasoning) | 22–26 | 9–13 | 70 (35 each paper) |

6.2.2 Profile of cognitive domain

The cognitive domain is specified in section 5. Each test question will be rated in terms of demand against each of the four strands of the cognitive domain. The allocation of marks across each strand and demand rating is detailed in Table 12.

110

110

0 - 10

1-10

| Cognitive domain strand | (low) 1 | 2–3 | 4 (high*) | Total marks |
|----------------------------|---------|--------|-----------|-------------|
| Depth of understanding | 33–65 | 32–70 | 0–20 | 110 |
| Computational complexity | 1–15 | 77–105 | 2–20 | 110 |

15 - 35

30-70

Table 12: Distribution of marks by cognitive domain strand

6.3 Format of questions and responses

65 - 95

40-70

6.3.1 Paper 1

Spatial reasoning and

data interpretation

Response strategy

Paper 1 (arithmetic) will comprise constructed response questions, presented as contextfree calculations. The majority of the arithmetic calculations will be worth one mark. However, two marks will be available for long multiplication and long division.

6.3.2 Papers 2 and 3

In Papers 2 and 3, mathematical problems are presented in a wide range of formats to ensure pupils can fully demonstrate mathematical fluency, mathematical problem solving and mathematical reasoning.

Papers 2 and 3 will include both selected response and constructed response questions.

Selected response questions, where pupils are required to select which option satisfies the constraint given in the question, will include question types such as:

- multiple choice, where pupils are required to select their response from the options given
- matching, where pupils are expected to indicate which options match correctly
- true / false or yes / no questions, where pupils are expected to choose one response for each statement or problem.

Constructed response questions, where pupils are required to construct an answer rather than simply select one or more options, will include the following:

- constrained questions, where pupils are required to provide a single or best answer; these might involve giving the answer to a calculation, completing a chart or table, or drawing a shape (for questions worth more than one mark, partial credit will be available)
- less constrained questions, where pupils are required to communicate their approach to evaluating a statement or problem.

^{*} In any one year the test will include category 4 questions from at least 3 of the 4 strands.

Questions in Papers 2 and 3 comprise both those presented in context and out of context. Up to 50 per cent of marks across these papers will be set in context.

6.4 Marking and mark schemes

The tests will be externally marked on screen by trained markers.

The mark schemes will give specific guidance for the marking of each question, together with general principles to ensure consistency of marking.

The mark schemes will provide the total number of marks available for each question and the criteria by which markers should award the marks to pupils' responses. Where multiple correct answers are possible, examples of different types of correct answer will be given in the mark schemes. Where applicable, additional guidance will indicate minimally acceptable responses and unacceptable responses. The mark schemes will provide a content domain reference, so it is possible to determine what is assessed in each question.

For all questions, the mark schemes will be developed during the test development process and will combine the expectations of experts with examples of pupils' responses obtained during trialling.

For multi-mark questions, where the correct answer has not been obtained, the mark scheme will indicate where marks are awarded either for using a formal method (Paper 1) or for correctly following a process or processes through the problem (Papers 2 and 3).

Partial marks will be awarded for correct working where the final answer is wrong but the pupil has used the formal method of working; where the grid method has been used for long multiplication or the 'chunking' method for long division, partial marks will not be awarded.

6.5 Reporting

The raw score on the test (the total marks achieved out of the 110 marks available) will be converted into a scaled score. Translating raw scores into scaled scores ensures performance can be reported on a consistent scale for all pupils. Scaled scores retain the same meaning from one year to the next. Therefore, a particular scaled score reflects the same standard of attainment in one year as in the previous year, having been adjusted for any differences in difficulty of the test.

Additionally, each pupil will receive an overall result indicating whether or not he or she has achieved the required standard on the test. A standard-setting exercise will be conducted on the first live test in 2016 in order to determine the scaled score needed for a pupil to be considered to have met the standard. This process will be facilitated by the performance descriptor in section 6.7 which defines the performance level required to meet the standard. In subsequent years, the standard will be maintained using appropriate statistical methods to translate raw scores on a new test into scaled scores with an additional judgemental exercise at the expected standard. The scaled score required to achieve the expected standard on the test will always remain the same.

6.6 Desired psychometric properties

While the focus of the outcome of the test will be whether a pupil has achieved the expected standard, the test must measure pupils' ability across the spectrum of attainment. As a result, the test must aim to minimise the standard error of measurement at every point on the reporting scale, particularly around the expected standard threshold.

The provision of a scaled score will aid in the interpretation of pupils' performance over time as the scaled score that represents the expected standard will be the same year-onyear. However, at the extremes of the scaled score distribution, as is standard practice, the scores will be truncated such that above and below a certain point, all pupils will be awarded the same scaled score in order to minimise the effect for pupils at the ends of the distribution, where the test is not measuring optimally.

6.7 Performance descriptor

This performance descriptor describes the typical characteristics of pupils whose performance in the key stage 2 tests is at the threshold of the expected standard. Pupils who achieve the expected standard in the tests have demonstrated sufficient knowledge to be well-placed to succeed in the next phase of their education, having studied the full key stage 2 programme of study in mathematics. This performance descriptor will be used by a panel of teachers to set the standards on the new tests following their first administration in May 2016. It is not intended to be used to support teacher assessment since it reflects only the elements of the programme of study that can be assessed in a paper-based test (see the content domain in section 4).

6.7.1 Overview

Pupils working at the expected standard will be able to engage with all questions within the test. However, they will not always achieve full marks on each question, particularly if working at the threshold of the expected standard.

Questions will range from those requiring recall of facts or application of learned procedures to those requiring understanding of how to use facts and procedures creatively to decide how to solve complex and unfamiliar problems. There will be a variety of question formats including selected response, short answer and more complex calculations and explanations where the demonstration of an appropriate method may be rewarded.

Question difficulty will be affected by the strands of the cognitive domain such as computational complexity and spatial reasoning and data interpretation. This should be borne in mind when considering the remainder of this performance descriptor, since pupils working at the threshold of the expected standard may not give totally accurate or correct responses to questions. In cases where there are multiple interrelated computational steps and / or a need to infer new information or to visualise or represent an abstract problem, some pupils may find the question difficult to understand, especially in a test setting. This will be true even when the performance descriptor determines that a skill should be within the pupil's capacity if working at the expected standard.

The following sections describe the typical characteristics of pupils in Year 6 working at the threshold of the expected standard. It is recognised that different pupils will exhibit different strengths, so this is intended as a general guide rather than a prescriptive list. References in square brackets [] refer to aspects of the content domain as specified in section 4.

6.7.2 Number, ratio and algebra

Pupils working at the expected standard are able to:

- use place value in whole numbers up to 1,000,000 to compare and order numbers and are beginning to become confident with numbers up to 10,000,000 [N2, N3]
- round any whole number to the nearest power of ten [N4]
- use negative numbers in practical contexts such as temperature and calculate intervals across zero [N5]
- count forwards or backwards in steps of any whole number with one significant figure, e.g. 9, 20, 3,000 [N1] to generate, describe and complete linear number sequences [A3]
- recognise and use multiples, factors, prime numbers less than 20 and square numbers up to 144 [C5]
- add and subtract whole numbers with up to two significant figures (e.g. 95 + 36, 5,700 2,900) [C1]
- add and subtract whole numbers with more than four digits, using formal written methods where appropriate [C2]
- use their understanding of place value to multiply and divide whole numbers and decimals with up to two decimal places by 10 or 100 (e.g. $1,532 \div 100 =$, $\square \div 100 = 6.3$) [C6]
- multiply and divide whole numbers mentally drawing upon multiplication facts up to 12×12 and place value (e.g. 60×70) and begin to use these facts to work with larger numbers [C6]
- multiply numbers with up to two digits by a two digit number using the formal long multiplication method and becoming more confident with multiplication with larger numbers; multiply and divide numbers with up to four digits by a single digit number using the formal short division method and become more confident with division using larger numbers including the long division method. [C7]
- recognise and use equivalent fractions (e.g. $\frac{300}{900} = \frac{1}{3}$; $\frac{4}{5} = \frac{8}{10} = \frac{80}{100}$) [F2]
- recognise and use the equivalences between simple fractions, decimals and percentages (e.g. $0.3 = \frac{3}{10} = 30\%$) and becoming more confident with calculating other decimal fraction equivalents [F6, F11]
- find simple fractions and percentages of whole numbers and quantities (e.g. $\frac{2}{3}$ of 90; 20 × $\frac{1}{5}$; 30% of £60) [F1, F5, R2]
- add and subtract fractions with the same denominator, using mixed numbers where appropriate for the context (e.g. $1\frac{1}{5} \frac{2}{5} = \frac{6}{5} \frac{2}{5} = \frac{4}{5}$) [F2]

- add and subtract fractions with the same denominator and denominators that are multiples of the same number (e.g. $\frac{1}{4} + \frac{5}{8} = \frac{7}{8}$) and becoming more confident with more complex fraction calculations [F4]
- add and subtract decimal numbers that have the same number of decimal places (e.g. 157.31 – 29.16) [F10]
- multiply a one digit decimal number by a single digit number (e.g. 0.6×8) [F9]
- use simple ratio to compare quantities (e.g. Every pupil is given 3 pencils and a pen. 36 pencils were given out. How many pens were needed?) and estimate the distance from a map using a simple scale (e.g. where 1 cm represents 100 m) [R1, R3]
- use simple formulae expressed in words (e.g. time needed to cook a chicken: allow 20 minutes plus 40 minutes per kilogram) [A2]
- find possible values in missing number problems involving one or two unknowns (algebra) (e.g. Ben thinks of two numbers: the sum of the two numbers is 10: multiplied together they make 24: what are Ben's numbers? > (a + b=10, ab=24) [A1, A4].

6.7.3 Measurement

Pupils working at the expected standard are able to:

- read, write and convert time between analogue (including clock faces using Roman numerals) and digital 12- and 24- hour clocks, using a.m. and p.m. where necessary [M4]
- calculate the duration of an event using appropriate units of time (e.g. A film starts at 6:45p.m. and finishes at 8:05p.m. How long did it last?) [M4]
- convert between 'adjacent' metric units of measure for length, capacity and mass (e.g. 1.2 kg = 1,200 g; how many 200 ml cups can be filled from a 2-litre bottle?; write 605 cm in metres) [M5]
- find the perimeter of compound shapes when all side lengths are known or can be easily determined (e.g. a simple shape made from two identical rectangles joined together to make an L-shape with given dimensions of the rectangle) [M7]
- calculate and compare the area of squares and rectangles including using standard units, square centimetres (cm²) and square metres (m²) and estimate the area of irregular shapes by counting squares [M7].

6.7.4 Geometry

Pupils working at the expected standard are able to:

- compare and classify 3-D and 2-D shapes based on their properties (e.g. for 2-D shapes: parallel sides, length of sides, type and size of angles [G4], reflective symmetry [G2], regular / irregular polygons [G2]; for 3-D shapes: faces, vertices and edges) [G2]
- recognise and describe simple 3-D shapes, including using nets and other 2-D representations [G3]
- complete simple shapes using given lengths, such as 7.5 cm, (accurate to $\pm -2 \text{ mm}$) and acute angles that are multiples of 5° (accurate to $\pm -2^{\circ}$) [G3]

- know and use the facts that angles at a point sum to 360°, angles at a point on a straight line sum to 180° and angles in a triangle sum to 180° (e.g. calculate the base angles of an isosceles triangle where the other angle is 110°) and identify other multiples of 90° [G4]
- identify, describe; and represent the position of a shape following a reflection or translation [P2]
- describe positions on a 2-D co-ordinate grid using axes with equal scales in the first quadrant (in the context of number or geometry) and use co-ordinates to complete a given rectangle; become more confident in plotting points in all four quadrants [P3].

6.7.5 Statistics

Pupils working at the expected standard are able to:

- complete, read and interpret information presented in tables and bar charts (e.g. find the difference between two bars showing temperatures, where one is 20°C and the other is 13°C, on a scale labelled in multiples of 5) [S1]
- interpret line graphs (e.g. begin to find the difference between two temperatures on a line graph, where one is 20°C and the other is 13°C, on a scale labelled in multiples of 5) and simple pie charts (e.g. a pie chart cut into eight pieces for favourite fruit using whole numbers for each section) [S1]
- calculate the mean as an average for simple sets of discrete data (e.g. find the mean mass of three parcels weighing 5 kg, 3 kg and 10 kg) [S3].

6.7.6 Solving problems and reason mathematically

Pupils working at the expected standard are able to:

- solve mathematical problems by applying their mathematics to a variety of routine and non-routine problems, in a range of contexts (including money and measures, geometry and statistics) using the content described above
- begin to reason mathematically making simple generalisations, using mathematical language
- use and interpret mathematical symbols and diagrams, and present information and results in a clear and organised way; for example:
 - solve mathematical problems with two or three computational steps using addition, subtraction, multiplication and division and a combination of these (e.g. extract and add prices from a table and calculate change, or solve problems such as 'Jason bought some bags of green apples (6 for 75p) and some bags of red apples (10 for 90p). He spent £4.20. How many bags of each type of apple did he buy?') [C4, C8]
 - solve mathematical problems involving numbers with up to two decimal places (e.g. find the two numbers which sum to 10 from this list: 0.01, 0.11, 1.01, 9.09, 9.9, 9.99) [F10, M9]
 - make simple connections between mathematical ideas
 - solve mathematical problems involving data [S2].

7. Diversity and inclusion

The Equality Act 2010 sets out the principles by which the national curriculum assessment and associated development activities are conducted. During the development of the tests, STA's test development division will make provision to overcome barriers to fair assessment for individuals and groups wherever possible.

National curriculum tests will also meet Ofqual's core regulatory criteria. One of the criteria refers to the need for assessment procedures to minimise bias: 'The assessment should minimise bias, differentiating only on the basis of each learner's ability to meet national curriculum requirements' (Regulatory framework for national assessment, published by Ofqual 2011).

The end of key stage 2 mathematics test should:

- use appropriate means to allow all pupils to demonstrate their mathematical fluency, solving problems and reasoning
- provide a suitable challenge for all pupils and give every pupil the opportunity to achieve as high a standard as possible
- provide opportunities for all pupils to achieve, irrespective of gender, disability or special educational need, social, linguistic or cultural backgrounds
- use materials that are familiar to pupils and for which they are adequately prepared
- not be detrimental to pupils' self-esteem or confidence
- be free from stereotyping and discrimination in any form.

The test development process uses the principles of universal design, as described in the 'Guidance on the principles of language accessibility in national curriculum assessments' (New language accessibility guidance, published by Ofgual 2012).

In order to improve general accessibility for all pupils, where possible, questions will be placed in order of difficulty. As with all national curriculum tests, attempts have been made to make the question rubric as accessible as possible for all pupils, including those who experience reading and processing difficulties, and those for whom English is an additional language, while maintaining an appropriate level of demand to adequately assess the content. This includes applying the principles of plain English and universal design wherever possible, conducting interviews with pupils, and taking into account feedback from expert reviewers.

For each test in development, expert opinions on specific questions are gathered, for example, at inclusion panel meetings, which are attended by experts and practitioners from across the fields of disabilities and special educational needs. This provides an opportunity for some questions to be amended or removed in response to concerns raised.

Issues likely to be encountered by pupils with specific learning difficulties have been considered in detail. Where possible, features of questions that lead to construct irrelevant variance (for example, question formats and presentational features) have been considered and questions have been presented in line with best practice for dyslexia and other specific learning difficulties.

7.1 Access arrangements

The full range of access arrangements applicable to key stage 2 assessments as set out in the ARA will be available to eligible pupils as required.

Appendix: Glossary of terminology used in the test framework

| Cognitive processes refer to the thinking skills and intellectual processes that occur in response to a stimulus. The cognitive domain makes explicit the thinking skills associated with an assessment. |
|--|
| The cognitive domain, as shown in this framework, also identifies other factors that may influence the difficulty of the questions. |
| A section of a test, presented to pupils as a test paper or test booklet is called a component. Some tests may have two or more components that each pupil needs to sit to complete the test. |
| Construct irrelevant variance is the variation in pupils' test scores that does not come from their knowledge of the content domain. It can result in pupils gaining fewer marks than their knowledge would suggest or lead to the award of more marks than their knowledge alone would deserve. |
| The former can occur, for example, when questions in a mathematics test also unintentionally measure reading ability. The latter often occurs when unintended clues within questions allow pupils to |
| answer correctly without having the required subject knowledge. |
| |
| answer correctly without having the required subject knowledge. |
| answer correctly without having the required subject knowledge. The body of subject knowledge to be assessed by the test |
| answer correctly without having the required subject knowledge. The body of subject knowledge to be assessed by the test The range of possible scaled scores |
| answer correctly without having the required subject knowledge. The body of subject knowledge to be assessed by the test The range of possible scaled scores The codified definition of a body of skills and knowledge The document explaining the creditworthy responses or the criteria |
| |

| raw score | A raw score is the unmodified score achieved on a test, following marking. In the case of these tests it is the total marks achieved. |
|----------------------------------|---|
| | For example, if a pupil scores 27 out of 60 possible marks, the raw score is 27. Raw scores are often then converted to other measures such as percentile ranks, standardised scores or grades. |
| scaled score | A score which has been translated from a raw score into a score on a fixed, defined scale is a scaled score. This allows performance to be reported on a consistent scale for all pupils, which retains the same meaning from one year to the next. Therefore, a particular scaled score reflects the same level of attainment in one year as in the previous year, having been adjusted for any differences in difficulty of the specific tests. |
| standard | The required level of attainment in order to be classified into a particular performance category |
| standard error of measurement | The standard error of measurement is a reliability estimate that allows the user to determine a confidence interval around a test score. It is a measure of the distribution of scores that would be attained by a pupil had that pupil taken the test repeatedly under the same conditions. |
| standard setting | The process of applying the standard to a particular test to determine the score required for a pupil to be classified within a particular performance category |
| test framework | A document that sets out the principles, rationale and key information about the test, and containing a test specification |
| test specification | A detailed description of what is to be included in a test in any single cycle of development |
| truncate | To shorten by removing ends |

References

Independent review of key stage 2 testing, assessment and accountability (2011), Lord Bew. www.gov.uk/government/collections/key-stage-2-ks2-testing-review

Hughes S., Pollit A., & Ahmed A. (1998). 'The development of a tool for gauging demands of GCSE and A-Level exam questions'. Paper presented at the BERA conference The Queens University Belfast.

Webb L. N. (1997). 'Criteria for alignment of expectations and assessments in mathematics and science education'. Research Monograph No. 8. Council of Chief School Officers.

Smith M.S., Stein M.K. (1998). 'Selecting and creating mathematical tasks: from research to practice'. Mathematics teaching in middle school 3 pp344–350.



About this publication

Who is it for?

This document is aimed primarily at those responsible for developing the key stage 2 national curriculum test in mathematics. It may also be of interest to schools with pupils in key stage 2 and other education professionals.

What does it cover?

The framework provides detailed information to ensure an appropriate test is developed, including the:

- content domain
- cognitive domain
- test specification
- test performance descriptors.

Related information

Visit the GOV.UK website at www.gov.uk/sta for all related information.

For more copies

Printed copies of this document are not available. It can be downloaded from the GOV.UK website at www.gov.uk/sta.